



natural[®]led
Office Lighting



BACK-LIT FLAT PANELS

naturaLED® is home to high performance LED lighting that provides excellent lumen output and lowers energy costs. Office lighting requirements can vary at each location, and having flexible options ensures your project needs are met.



- Up to 5,280 Lumens
- 28/29/46W
- Dimmable: 0-10V
- Accessories: Emergency Driver, Motion Sensor, Surface or Flange Mount Kit

We designed our new low-profile, DLC qualified Back-Lit Flat Panels with color and wattage selectable options, so matching existing lighting is easier than ever. Light is distributed evenly from edge to edge for consistent coverage.

Available in 1'x4', 2'x2', and 2'x4' configurations.



Optional Emergency Driver



TROFFERS

Troffers are the perfect type of lighting to enhance the mood of a space. The selectable color and wattage Troffer comes in 2'x2' or 2'x4' dimensions that install easily into T-Bar or grid ceilings. Designed with a polycarbonate lens, the troffer is lightweight at 8 pounds, and produces up to 5,850 lumens.

Retrofit



Replace the fluorescent lamps and other luminaire components with an LED retrofit kit.

- 3CCT - 3500K, 4000K, 5000K
- 16/20/25W (2'x2') 18/22/27W (2'x4')
- Up to 3,900 Lumens
- Dimmable: 0-10V
- Mounting can fit 1" or 9/16" T-bar grids



Wattage and CCT Selectable



Replace the entire fluorescent luminaire, including the housing, with a new LED luminaire.

- 3CCT - 3500K, 4000K, 5000K
- 20/30/36W (2'x2') 30/40/45W (2'x4')
- Up to 5,850 Lumens
- Dimmable: 0-10V
- Accessories: Emergency Driver, Motion Sensor, Flange Mount Kit



LINEAR FIXTURES

COMMERCIAL STRIP RETROFIT STRIP



- Available in 2, 4 or 8 ft. options
- 3 CCT - 3500K, 4000K, 5000K
- 22 to 68W
- Up to 8,840 Lumens
- Dimmable: 0-10V
- 12V Output
- Accessories: Motion Sensor, Emergency Driver



naturalLED®
Linear fixtures are the perfect solution for your lighting needs. Our linear fixtures come in a variety of sizes, shapes and wattage, delivering up to 8,840 lumens with excellent and consistent color. These versatile fixtures are simple to install in parking garages, stairwells, offices, hallways or any commercial, industrial or residential application.



RETROFIT STRIP

- Available in 4 or 8 ft. options
- 4000K or 5000K
- 25 or 55W
- Up to 8,466 Lumens
- Dimmable: 1-10V
- Accessories: Emergency Driver, Motion Sensor



COMMERCIAL WRAP

- 3 CCT - 3500K, 4000K, 5000K
- 22/28/34/44W
- Up to 5,720 Lumens
- Dimmable: 0-10V
- 12V Output
- Accessories: Emergency Driver, Motion Sensor

UTILITY WRAP

- 4000K or 5000K
- 27W
- Up to 3,510 Lumens
- Dimmable: 0-10V
- Accessories: Emergency Driver, Motion Sensor

EMERGENCY EXIT SIGN



EMERGENCY EXIT
SIGN



EMERGENCY EXIT SIGN /
LIGHT COMBO



EMERGENCY
LIGHT



CANLESS SLIM DISK LIGHT

- Energy Star
- JA8
- 5 CCT - 2700K, 3000K, 3500K, 4000K, 5000K
- 4" (10W) or 6" (12W)
- Up to 900 Lumens
- Wet Location Rated

Round or square options



DOWNLIGHTS

Our downlights come in a variety of sizes, shapes and wattage, and deliver up to 2,700 lumens with a CRI90 rating which produces excellent and consistent color.




RECESSED DOWNLIGHT RETROFIT

- Energy Star Qualified
- JA8
- 5 CCT - 2700K, 3000K, 3500K, 4000K, 5000K
- 4" (10W) or 6" (14W)
- Up to 1,100 Lumens
- Wet Location Rated



COMMERCIAL RECESSED LIGHT

- Energy Star Qualified
- 3 CCT - 3000K, 4000K, 5000K
- 6" (9/12/15W), 8" (16/21/27W), 10" (18/23/30W)
- Up to 2,700 Lumens
- Dimmable: 0-10V
- Wet Location Rated
- Accessories: Pre-Mounting Plates, T-Bar, Micro Inverter for Emergency Backup



Available in 6", 8" or 10" options



REPLACEMENT LED TUBES



INSTANT FIT TYPE A TUBES

naturaLED® Instant-Fit Type AT5s and T8s make it easy to upgrade fluorescents to energy efficient LED lighting. Compatible with existing electronic fluorescent ballasts without re-wiring, the Instant-Fit tubes come in 2 ft., 3 ft., or 4 ft. lengths and improve energy savings up to 65%. These tubes generate a wide beam spread of 320° like the traditional pattern from existing fluorescent tubes.


- Up to 3,500 Lumens
- 10-28W, 4000K/5000K
- Instant fit (compatible with fluorescent ballast*)
- Instant on, flicker free
- Quick and easy LED upgrade
- Contains no mercury or lead
- Base: 2, 3, 4 ft - Mini/Medium Bi-Pin

*Contact us for compatibility list.

INTEGRATED TYPE B TUBES

naturaLED® LED Integrated T5/T8 UL Type B Tubes work directly with 120-277 line voltage, so it is required to remove the existing fluorescent ballast. This DLC qualified tube is available in 9-40 watts that can replace 2 ft., 3 ft., 4 ft. or 8 ft. tubes. These tubes generate a wide beam spread of 320° like the traditional pattern from existing fluorescent tubes.


- Up to 5,500 Lumens
- 9 - 40W, 4000K/5000K
- Line Voltage 120-277V
- Instant On, Noise-free



T8 UNIVERSAL



- Compatible with shunted and non-shunted sockets
- Eliminates installation labor costs for additional wiring



- Shunted sockets receive voltage through a single set of wires and spread it to two contacts.
- Non-shunted sockets send voltage to each of the contacts, through two wiring tracks.

Standard Type B Direct Wire tubes use single ended non-shunted socket, but naturaLED® Universal tubes are compatible with shunted and non-shunted, single and double ended as well.

ADDITIONAL PRODUCTS

OUTDOOR LED FIXTURES



Area Lights



Post Tops



Compact Wall Packs



5.5 inch Bollards



Pathway



Flood Lights

INDOOR LED FIXTURES



Round High Bays



Linear High Bays



Vapor Tights

LED LAMPS



R/BR



PAR/MR



A19/A21




Plug-In Instant Fit

Filament HID



naturaLED®



California, USA

2000 S. Grove Ave, Bldg B, Ontario, CA 91761
855-758-7009 | 909-930-6868

Texas, USA

1940 Diplomat Drive, Farmers Branch, TX 75234

North Carolina, USA

2511 Reliance Ave, Apex, NC 27539

Canada

Unit 206 – 9710 187th Street Surrey, BC V4N 3N6