

natural<sup>led</sup><sup>®</sup>  
Parking/Outdoor Lighting



# AREA LIGHTS

Outdoor areas like parking garages, roadways, and pathways need bright, durable lighting. naturaLED® designs and engineers lighting solutions with features that are energy efficient, and easy to install.



10 year warranty available (registration required)

## SAL SLIM AREA LIGHT







\* 75W comes with 3CCT and wattage select

The new Slim Area Light is 50% lighter than the previous generation, yet still very durable with an improved heat sink. Available with a 10 year warranty in bronze, black, or white, the DLC Premium 75W SAL is both color and wattage adjustable. Special optics of 400W are available for tennis/pickleball courts. 25-400W can produce up to 60,000 lumens. Accessories include: Slip Fitter, Yoke, Extruded Arm, Wall Mount or Tennis Court Arm.


Available in Type 3, Type 4, Type 5 and Tennis light distribution.

- 3000K, 4000K, 5000K
- 25 – 400W
- 3,500 - 63,500 Lumens
- Input line voltage: 120-277V / 277-480V
- Accessories: Photocell, Motion Sensor, Surge Protector, Glare Shield, Back Light Cover



## CAL - COMPACT AREA LIGHT

The naturaLED® Compact Area Light is an excellent option for generating bright, even illumination with up to 42,823 lumens. Constructed with a durable, die-cast aluminum housing and excellent thermal design, this area light also offers multiple mounting options and long cables for easy wiring.



- 4000K, 5000K
- 100, 150, 240, and 300W
- Up to 42,823 Lumens
- Input line voltage: 120-277V / 120-347V / 277-480V
- Accessories: Photocell, Motion Sensor, Surge Protector, Glare Shield



Available in 2 sizes



Built-in photocell



CCT and SW Switch



## TRADITIONAL WALL PACK

The 3CCT Traditional Wall Pack is a versatile fixture that offers both color and wattage selectable options. Designed with a built-in photocell and longer wiring cables, this fixture is easy and quick to install.

- 3CCT - 3000K, 4000K, 5000K
- 28/38/60W or 60/80/100W
- Up to 14,500 Lumens
- Accessories: Motion Sensor, Emergency Driver, Wireguard, Replacement Lens, Additional Surge Protector

## COMPACT TRADITIONAL WALL PACK

The 3CCT Compact Wall Pack is a versatile fixture that offers both color and wattage selectable options. Designed with a built-in photocell and longer wiring cables, this fixture is easy and quick to install.

- 3CCT - 3000K, 4000K, 5000K
- 25/40/60W
- Up to 7,500 Lumens
- Accessories: Motion Sensor, Emergency Driver, Additional Surge Protector



# WALL PACKS



Available in 2 sizes

## CUTOFF WALL PACK

- 4000K, 5000K
- 40, 60, 80, and 120W
- Up to 14,667 Lumens
- Accessories: Emergency Driver, Photocell

**ADA**  
Americans with Disabilities Act



Adjustable Angle



## SLIM WALL PACK

- 3CCT - 3000K, 4000K, 5000K
- 15/28/45W
- Up to 5,680 Lumens
- Built-in Photocell
- Accessories: Slip Fitter, Swivel Bracket, 3/4" NPT Knuckle Mount





# CANOPY LIGHTS

## SLIM CANOPY (10" X 10")

The smaller Slim Canopy features a low-profile design with a die-cast aluminum housing and shatter-resistant polycarbonate prismatic lens. In addition, it is dust-proof and includes a 1/2" threaded conduit entrance on each side. It comes either with or without a microwave sensor behind the lens.

This DLC Premium fixture supports both pendant and direct surface mounting, is IP65 rated and available in black or white.


- 4000K, 5000K
- 28, 42, or 59W
- Up to 7,845 Lumens
- Accessories: Microwave Sensor, Photocell, Emergency Driver, Beauty Plate, Drop or Frosted Lens, Surge Protector




## SLIM CANOPY (13" X 13")

The larger Slim Canopy is DLC Premium, IP65 rated and ETL listed. A dust-proof, sealed structure, with 1/2"NPT threaded conduit entrances on each side. An optional motion sensor provides step dimming, area sensitivity, standby time and on/off.

- 4000K, 5000K
- 59, 82, or 100W
- Up to 13,620 Lumens
- Accessories: Microwave Sensor, Photocell, Emergency Driver, Beauty Plate, Surge Protector



Regular Canopy



Parking Canopy



# LINEAR FIXTURES

## COMMERCIAL STRIP / RETROFIT STRIP

- 3CCT - 3500K, 4000K, 5000K
- 22 to 68W
- Up to 9,398 Lumens
- Dimmable: 0-10V
- Accessories: Motion Sensor, Emergency Driver



Available in 2, 4 or 8 ft. options




## VAPORTIGHT



The new selectable color and selectable wattage Vapor Tight is just one of several linear lighting options from naturaLED®. Available in 2, 4 or 8 ft. options, this fixture produces up to 13,000 lumens.

Wall / Ceiling Mounting



- 3CCT - 3500K, 4000K, 5000K (except for 8 ft.)
- 20 to 100W
- Up to 13,000 Lumens
- Dimmable: 0-10V
- Accessories: Wall Mount, Motion Sensor, Emergency Driver

## COMMERCIAL WRAP

- 3CCT - 3500K, 4000K, 5000K
- 22/28/34/44W
- Up to 5,720 Lumens
- Dimmable: 0-10V
- Accessories: Emergency Driver, Motion Sensor



## UTILITY WRAP

- 4000K or 5000K
- 27W
- Up to 3,510 Lumens
- Dimmable: 0-10V
- Accessories: Emergency Driver, Motion Sensor



# REPLACEMENT LED TUBES



## INSTANT FIT TYPE A TUBES

naturaLED® Instant-Fit Type AT5s and T8s make it easy to upgrade fluorescents to energy efficient LED lighting. Compatible with existing electronic fluorescent ballasts without re-wiring, the Instant-Fit tubes come in 2 ft., 3 ft., or 4 ft. lengths and improve energy savings up to 65%. These tubes generate a wide beam spread of 320° like the traditional pattern from existing fluorescent tubes.


- Up to 3,500 Lumens
- 10-28W, 4000K/5000K
- Instant fit (compatible with fluorescent ballast\*)
- Instant on, flicker free
- Quick and easy LED upgrade
- Contains no mercury or lead
- Base: 2, 3, 4 ft - Mini/Medium Bi-Pin

\*Contact us for compatibility list.

## INTEGRATED TYPE B TUBES

naturaLED® LED Integrated T5/T8 UL Type B Tubes work directly with 120-277 line voltage, so it is required to remove the existing fluorescent ballast. This DLC qualified tube is available in 9-40 watts that can replace 2 ft., 3 ft., 4 ft. or 8 ft. tubes. These tubes generate a wide beam spread of 320° like the traditional pattern from existing fluorescent tubes.


- Up to 5,500 Lumens
- 9 - 40W, 4000K/5000K
- Line Voltage 120-277V
- Instant On, Noise-free



## T8 UNIVERSAL



- Compatible with shunted and non-shunted sockets
- Eliminates installation labor costs for additional wiring



- Shunted sockets receive voltage through a single set of wires and spread it to two contacts.
- Non-shunted sockets send voltage to each of the contacts, through two wiring tracks.

Standard Type B Direct Wire tubes use single ended non-shunted socket, but naturaLED® Universal tubes are compatible with shunted and non-shunted, single and double ended as well.



## FILAMENT HID REPLACEMENT LAMPS

- 2200K, 3000K, 4000K, 5000K
- 18, 27, 36, or 80W
- Up to 9,980 Lumens
- Available in E26 or EX39 base

# HID REPLACEMENTS


LED HID replacements are affordable, practical lighting solutions that provide a quick and easy upgrade for open spaces like warehouses or retail applications.

## HID RETROFIT KIT



The LED Retrofit Kits have been designed specifically for existing HID fixtures. They deliver twice the lumen output and efficacy compared to retrofits using generic LED kits.

- 50/100W – 3CCT - 3000K, 4000K, 5000K
- 180/240W – 5000K
- Up to 38,400 Lumens
- Accessories: E26 Mounting Adapter and Surge Protector



250-400W HID replaced with 50W LED retrofit kit. Energy savings up to 87%.

Perfect replacement option for existing fixtures. Shoeboxes, High Bays, Low Bays, Floods, Wall Packs and more.

natural<sup>led</sup>



### California, USA

2000 S. Grove Ave, Bldg B, Ontario, CA 91761  
855-758-7009 | 909-930-6868

### Texas, USA

1940 Diplomat Drive, Farmers Branch, TX 75234

### North Carolina, USA

2511 Reliance Ave, Apex, NC 27539

### Canada

Unit 206 – 9710 187th Street Surrey, BC V4N 3N6