

natural^{led}

2024 CATALOG

Edition II

LED LIGHTING
Fixtures & Lamps
Accessories





Turning Light into Savings ▶▶▶



INDEX

04

Outdoor Fixtures

27

Indoor Fixtures

43

Industrial Fixtures

44

Lamps

55

Accessories

01

COMPACT TRADITIONAL WALL PACK

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
7529	FXTWX60SW/8CCT3/BZ-PHO	25W	3,125
		40W	5,000
		60W	7,538
7530	FXTWX100SW/8CCT3/BZ-PHO	60W	7,500
		80W	10,000
		100W	12,286
9672	FXTWX60SW/8CCT3/BK-PHO	25W	3,729
		40W	5,000
		60W	7,538
9673	FXTWX100SW/8CCT3/BK-PHO	60W	8,624
		80W	10,000
		100W	12,286
9674	FXTWX60SW/8CCT3/WH-PHO	25W	3,729
		40W	5,000
		60W	7,538
9675	FXTWX100SW/8CCT3/WH-PHO	60W	8,624
		80W	10,000
		100W	12,286

SKU	Product Code	Description
P10540	SEN-ANT-11-WH	Microwave Motion Sensor 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10540



02

FULL CUT-OFF WALL PACK

DLC Premium & IP65 Rated, Photocell Included



SKU Code	Product Code	Watts	Lumens
9553	FXCWP60SW/CCT3/BZ-PHO	28W	3,780
		38W	5,400
		60W	8,176
9554	FXCWP120SW/CCT3/BZ-PHO	80W	10,388
		100W	12,985
		126W	16,464


SKU	Product Code	Description
P10540	SEN-ANT-11-WH	Microwave Motion Sensor 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10540



02

FULL CUT-OFF WALL PACK

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9319	LED-FXCWP40/40K/BZ	39W	5,288
• 9208	LED-FXCWP60/40K/BZ	63W	8,347
• 9209	LED-FXCWP60/50K/BZ	63W	8,425
• 9443	LED-FXCWP80/40K/BZ	83W	11,048
• 9444	LED-FXCWP80/50K/BZ	83W	11,193
• 9445	LED-FXCWP120/40K/BZ	121W	16,525

SKU	Product Code	Description
K540380	SEN-ANT-11-WH/BA12V	Microwave Motion Sensor Kit 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10540

• Limited Stock



03

TWP WALL PACK

DLC Premium and IP65 Rated, Photocell Included



SKU Code	Product Code	Watts	Lumens
9455	FXTWP60SW/CCT3/BZ-PHO	28W	4,200
		38W	5,700
		60W	9,134
9456	FXTWP100SW/CCT3/BZ-PHO	60W	9,000
		80W	11,600
		100W	14,500

SKU	Product Code	Description
P10004	WG-TWP-MEDIUM	Wireguard for Medium
P10403	CVR-TWP-MEDIUM/BZ	Cut off Shield-Medium 38W-100W
P10000	LENS-TWP-MEDIUM	Borosilicate Glass Lens-Medium 38-100W
P10003	LENS-TWP-PC-MEDIUM	Plastic Lens-Medium 38-100W



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

03

TWP WALL PACK

DLC Premium and IP65 Rated



SKU Code	Product Code	Watts	Lumens
9453	FXTWP28/40K/BZ-PHO	28W	4,200
9454	FXTWP28/50K/BZ-PHO	28W	4,200
9447	FXTWP38/40K/BZ-PHO	38W	5,700
9448	FXTWP38/50K/BZ-PHO	38W	5,700
9449	FXTWP60/40K/BZ-PHO	60W	9,000
9450	FXTWP60/50K/BZ-PHO	60W	9,000
9451	FXTWP80/40K/BZ-PHO	80W	12,000
9452	FXTWP80/50K/BZ-PHO	80W	12,000
9542	FXTWP80/50K/WH-PHO	80W	12,000
9534	FXTWP38/40K/BZ/347-PHO	38W	5,700
9535	FXTWP38/50K/BZ/347-PHO	38W	5,700
9536	FXTWP60/40K/BZ/347-PHO	60W	9,000
9537	FXTWP60/50K/BZ/347-PHO	60W	9,000
9532	FXTWP60SW/CCT3/BZ/347-PHO	28W	4,200
		38W	5,700
		60W	9,134
9533	FXTWP100SW/CCT3/BZ/347-PHO	60W	9,000
		80W	11,600
		100W	14,500

SKU	Product Code	Description
P10004	WG-TWP-MEDIUM	Wireguard for Medium
P10402	CVR-TWP-SMALL/BZ	Cut off Shield-Small 28W
P10403	CVR-TWP-MEDIUM/BZ	Cut off Shield-Medium 38W-100W
P10002	LENS-TWP-SMALL	Borosilicate Glass Lens-Small 28W
P10000	LENS-TWP-MEDIUM	Borosilicate Glass Lens-Medium 38-100W
P10003	LENS-TWP-PC-MEDIUM	Plastic Lens-Medium 38-100W



04

ADJUSTABLE SLIM WALL PACK

Selectable Wattage & 3CCT (30/40/50K) , Photocell Included



SKU Code	Product Code	Watts	Lumens
9589	FXSWP45SW/8CCT3/BZ/347-PHO	15W	1,800
		28W	3,360
		45W	5,400
9590	FXSWP45SW/8CCT3/BK/347-PHO	15W	1,800
		28W	3,360
		45W	5,400

SKU	Product Code	Description
P10254	MT-KNC-SWP/BZ*	3/4" NPT Knuckle Mount for SWP - Bronze
P10006	MT-KNC-SWP/BK	3/4" NPT Knuckle Mount for SWP - Black
P10255	MT-SF-SWP/BZ*	Slip Fitter Mount for SWP - Bronze
P10007	MT-SF-SWP/BK	Slip Fitter Mount for SWP - Black
P10253	MT-SB-SWP/BZ*	Swivel Bracket for SWP - Bronze
P10005	MT-SB-SWP/BK	Swivel Bracket for SWP - Black

*Made to order



05

10" Round Canopy

Selectable Wattage & 3CCT (30/40/50K) , 120-277V



SKU Code	Product Code	Watts	Lumens
7670	FX10RCM29SW/9CCT3/DB	14W	1,610
		22W	2,530
		29W	3,335
7671	FX10RCM29SW/9CCT3/WH	14W	1,610
		22W	2,530
		29W	3,335

SKU	Product Code	Description
P10543	SEN-PHO-JL-412C	Small Button Photocell 120-277V

06

SLIM CANOPY 10"x10"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9545	FX10SCM60SW/8CCT3/BK	28W	3,584
		45W	5,760
		57W	7,318
9547	FX10SCM60SW/8CCT3/WH	28W	3,584
		45W	5,760
		57W	7,318
• 9432	FX10SCM28/840/BK-SEN	28W	3,640
• 9433	FX10SCM28/850/BK-SEN	28W	3,640
• 9434	FX10SCM42/840/BK-SEN	42W	5,517
• 9436	FX10SCM59/840/BK-SEN	59W	7,695
9414	FX10SCM28/840/BK	28W	3,640
9415	FX10SCM28/850/BK	28W	3,640
9418	FX10SCM42/840/BK	42W	5,517
9422	FX10SCM59/840/BK	59W	7,695
9423	FX10SCM59/850/BK	59W	7,845
9416	FX10SCM28/840/WH	28W	3,640
9417	FX10SCM28/850/WH	28W	3,640
9420	FX10SCM42/840/WH	42W	5,517
9421	FX10SCM42/850/WH	42W	5,638
9424	FX10SCM59/840/WH	59W	7,695

• Motion Sensor Included

SKU	Product Code	Description
P10574	WG-SCM10	Wire Guard for 10"SCM
P10126	LENS-SCM/DR9X9	Drop Lens
P10125	LENS-SCM/FR9X9	Frosted Lens
P10195	PLT-SCM/14X14/WH	Beauty Plate 14"x14"
P10196	PLT-SCM/24X24/WH	Beauty Plate 24"x24"



07

SLIM CANOPY LARGE 13"X13"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9546	FX13SCM100SW/8CCT3/BK	60W	7,506
		80W	10,008
		100W	12,533
9248	LED-FXSCM85/40K/BK	82W	10,062
9249	LED-FXSCM85/50K/BK	82W	10,259
9211	LED-FXSCM100/40K/BK	100W	12,795
9212	LED-FXSCM100/50K/BK	100W	13,022

SKU	Product Code	Description
P10575	WG-SCM13	Wire Guard for 13"SCM
P10195	PLT-SCM/14X14/WH	Beauty Plate 14" x 14"
P10196	PLT-SCM/24X24/WH	Beauty Plate 24" x 24"



08

BULLET FLOODLIGHT

Energy Star & IP65 Rated, 1/2" Knuckle Mount



SKU Code	Product Code	Watts	Lumens
9291	LED-FXBFS10/40/830/BZ-KNC	10W	900
9295	LED-FXBFS10/40/840/BZ-KNC	10W	900
9292	LED-FXBFS10/40/850/BZ-KNC	10W	900
9293	LED-FXBFS20/40/830/BZ-KNC	21W	1,800
7045	LED-FXBFS20/40/840/BZ-KNC	21W	1,800
9294	LED-FXBFS20/40/850/BZ-KNC	21W	1,800



09

FLOODLIGHT

Selectable Wattage & 3CCT (30/40/50K), Photocell Included

1/2" Knuckle Mount
Available for Purchase

SKU Code	Product Code	Watts	Lumens
9652	FXFDL15/77/CCT3/BZ-YK	15W	1,950
9653	FXFDL30/77/CCT3/BZ-YK	30W	3,900
9654	FXFDL60SW/77/CCT3/BZ-YK	40W 50W 60W	5,400 6,750 7,800

SKU	Product Code	Description
P10012	MT-FDL/KNC/BZ	Knuckle Mount



10

FLOODLIGHT HIGH WATTAGE

Selectable Wattages & 3CCT (30/40/50K)



Optional: Slip Fitter Mount



SKU Code	Product Code	Watts	Lumens
9701	FDL/150S/76/8C3/BZ-YK	100W 130W 150W	12,000 16,900 19,205
9702	FDL/150S/76/8C3/BZ-KNC	100W 130W 150W	12,000 16,900 19,205

SKU	Product Code	Description
P10414	MT-FDL/SF/BZ	Slip Fitter for #9701
K141030	REC3PLK/PHO	Twist-Lock Photocell & Receptacle Mount 120-277V 3Prong




10

FLOODLIGHT HIGH WATTAGE

Selectable Wattages



Optional: Slip Fitter Mount



SKU Code	Product Code	Watts	Lumens
• 9569	FXFDL150SW/66/40K/BZ-KNC	100W	13,500
		130W	16,900
		150W	20,890
• 9570	FXFDL150SW/66/50K/BZ-KNC	100W	13,500
		130W	16,900
		150W	21,028
• 9567	FXFDL150SW/66/40K/BZ-YK	100W	13,500
		130W	16,900
		150W	20,890
• 9568	FXFDL150SW/66/50K/BZ-YK	100W	13,500
		130W	16,900
		150W	21,028

SKU	Product Code	Description
P10414	MT-FDL/SF/BZ	Slip Fitter for #9701
K141030	REC3PLK/PHO	Twist-Lock Photocell & Receptacle Mount 120-277V 3Prong

• Limited Stock



11

POST TOP

Selectable Wattages & 3CCT (30/40/50K), Photocell Included



SKU Code	Product Code	Watts	Lumens
9571	FX15PST34SW/8CCT3/BK	20W	3,004
		28W	4,200
		34W	5,262
9572	FX15PST100SW/8CCT3/BK	60W	8,104
		80W	10,400
		100W	13,361



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

12

PATHWAY Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9642	FX10PWY18SW/42/8CCT3/BK/T5/347 *FE*	10W	1,474
		15W	1,800
		18W	2,305
9225	FX10PWY18SW/42/8CCT3/BZ/T5/347 *FE*	10W	1,474
		15W	1,800
		18W	2,305

SKU	Product Code	Description
P10519	REC-Z10-BK	Z10 receptacle base with black cap
P10520	SEN-ANT-5-Z10-PC	Z10 Twist-Lock Photocell 12-24Vdc White
P10522	SEN-ANT-6-Z10	Z10 Twist-Lock PIR Motion & Photocell Sensor
P10488	CTL-MW-PSC-ZKV-WCM-100-BLE-SR	Bluetooth Controller, 0-10V Z10 Brown
P10316	SEN-BRI-RC100	Remote Programmer



13

BOLLARD 5.5" ROUND DOME Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code	Watts	Lumens
7742	FX5.5BLD18SW/42RDM/8CCT3/BK-PH *FE*	10W	700
		15W	1,050
		18W	1,260
7745	FX5.5BLD18SW/32RDM/8CCT3/BK-PH *FE*	10W	700
		15W	1,050
		18W	1,260
7769	FX5.5BLD18SW/42RDM/8CCT3/BZ-PH *FE*	10W	700
		15W	1,050
		18W	1,260



14

BOLLARD 5.5"

Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code		Watts	Lumens
7740	FX5.5BLD18SW/42RLO/8CCT3/BK	*FE*	10W	600
			15W	900
			18W	1,080
7741	FX5.5BLD18SW/42RLF/8CCT3/BK	*FE*	10W	500
			15W	750
			18W	900
7667	FX5.5BLD18SW/42RLO/8CCT3/BZ	*FE*	10W	600
			15W	900
			18W	1,080
7668	FX5.5BLD18SW/42RLF/8CCT3/BZ	*FE*	10W	600
			15W	900
			18W	1,080
9643	FX5.5BLD18SW/41FCN/8CCT3/BK	*FE*	10W	1,228
			15W	1,875
			18W	2,251
9644	FX5.5BLD18SW/41FLV/8CCT3/BK	*FE*	10W	1,200
			15W	1,800
			18W	2,160
9645	FX5.5BLD18SW/42RCN/8CCT3/BK	*FE*	10W	1,228
			15W	1,875
			18W	2,251
9646	FX5.5BLD18SW/42RLV/8CCT3/BK	*FE*	10W	1,200
			15W	1,800
			18W	2,160

SKU	Product Code	Description
P10068	PLT-5.5BLD/T3/BK	Type 3 Lens Cover



15

BOLLARD 5.5"

Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code		Watts	Lumens
7743	FX5.5BLD18SW/32RLO/8CCT3/BK	*FE*	10W	600
			15W	900
			18W	1,080
7744	FX5.5BLD18SW/32RLF/8CCT3/BK	*FE*	10W	500
			15W	750
			18W	900
9699	FX5.5BLD18SW/32RCN/8CCT3/BK	*FE*	10W	1,228
			15W	1,875
			18W	2,251
9700	FX5.5BLD18SW/32RLV/8CCT3/BK	*FE*	10W	1,200
			15W	1,800
			18W	2,160
9697	FX5.5BLD18SW/31FCN/8CCT3/BK	*FE*	10W	1,228
			15W	1,875
			18W	2,251
9698	FX5.5BLD18SW/31FLV/8CCT3/BK	*FE*	10W	1,200
			15W	1,800
			18W	2,160
SKU	Product Code	Description		
P10068	PLT-5.5BLD/T3/BK	Type 3 Lens Cover		



BOLLARD 8"

Selectable Wattages. IP65 Rated



SKU Code	Product Code	Watts	Lumens
▶ 9326	LED-FX8BLD18/42FCN/840/BK	*FE* 9/13/18W	1,000 / 1,500 / 2,000
▶ 9327	LED-FX8BLD18/42FCN/850/BK	*FE* 9/13/18W	1,000 / 1,500 / 2,000
• 9328	LED-FX8BLD18/42FLV/840/BK	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9329	LED-FX8BLD18/42FLV/850/BK	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9332	LED-FX8BLD18/42FFR/840/BK	*FE* 9/13/18W	800 / 1,200 / 1,622
• 9333	LED-FX8BLD18/42FFR/850/BK	*FE* 9/13/18W	800 / 1,200 / 1,622
• 9330	LED-FX8BLD18/42FT3/840/BK	*FE* 9/13/18W	700 / 1,000 / 1,464
• 9331	LED-FX8BLD18/42FT3/850/BK	*FE* 9/13/18W	700 / 1,000 / 1,464
▶ 9334	LED-FX8BLD18/42FCN/840/BZ	*FE* 9/13/18W	1,000 / 1,500 / 2,000
▶ 9335	LED-FX8BLD18/42FCN/850/BZ	*FE* 9/13/18W	1,000 / 1,500 / 2,000
• 9336	LED-FX8BLD18/42FLV/840/BZ	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9337	LED-FX8BLD18/42FLV/850/BZ	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9340	LED-FX8BLD18/42FFR/840/BZ*	*FE* 9/13/18W	800 / 1,200 / 1,622
• 9341	LED-FX8BLD18/42FFR/850/BZ*	*FE* 9/13/18W	800 / 1,200 / 1,622
• 9338	LED-FX8BLD18/42FT3/840/BZ*	*FE* 9/13/18W	700 / 1,000 / 1,464
• 9339	LED-FX8BLD18/42FT3/850/BZ*	*FE* 9/13/18W	700 / 1,000 / 1,464
▶ 9374	LED-FX8BLD18/42RCN/840/BK	*FE* 9/13/18W	1,000 / 1,500 / 2,000
▶ 9375	LED-FX8BLD18/42RCN/850/BK	*FE* 9/13/18W	1,000 / 1,500 / 2,000
• 9376	LED-FX8BLD18/42RLV/840/BK	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9377	LED-FX8BLD18/42RLV/850/BK	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9380	LED-FX8BLD18/42RFR/840/BK	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9381	LED-FX8BLD18/42RFR/850/BK*	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9378	LED-FX8BLD18/42RT3/840/BK	*FE* 9/13/18W	700 / 1,000 / 1,464
• 9379	LED-FX8BLD18/42RT3/850/BK*	*FE* 9/13/18W	700 / 1,000 / 1,464
▶ 9382	LED-FX8BLD18/42RCN/840/BZ	*FE* 9/13/18W	1,000 / 1,500 / 2,000
▶ 9383	LED-FX8BLD18/42RCN/850/BZ	*FE* 9/13/18W	1,000 / 1,500 / 2,000
• 9384	LED-FX8BLD18/42RLV/840/BZ	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9385	LED-FX8BLD18/42RLV/850/BZ*	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9388	LED-FX8BLD18/42RFR/840/BZ*	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9389	LED-FX8BLD18/42RFR/850/BZ*	*FE* 9/13/18W	750 / 1,100 / 1,566
• 9386	LED-FX8BLD18/42RT3/840/BZ*	*FE* 9/13/18W	700 / 1,000 / 1,464
• 9387	LED-FX8BLD18/42RT3/850/BZ*	*FE* 9/13/18W	700 / 1,000 / 1,464

▶ DLC

• Energy Star

* Made to order

FE - Freight Exception



17

SPORTS LIGHT (16")

DLC Premium & IP66 Rated



16-inch diameter



SKU Code	Product Code	Watts	Lumens
9474	FX16SPL400/44/850/BK	415W	61,389
9395	FX16SPL400/33/840/BK/480*	410W	61,173
9323	FX16SPL400/33/850/BK/480*	410W	61,173
9396	FX16SPL400/44/840/BK/480*	412W	60,039
9390	FX16SPL400/44/850/BK/480	412W	58,826
9397	FX16SPL400/55/840/BK/480*	404W	60,751
9391	FX16SPL400/55/850/BK/480*	404W	58,826
9475	FX16SPL650/44/850/BK	655W	97,099
9399	FX16SPL650/33/840/BK/480*	655W	95,205
9324	FX16SPL650/33/850/BK/480*	655W	95,205
9400	FX16SPL650/44/840/BK/480	654W	95,020
9392	FX16SPL650/44/850/BK/480	654W	95,683
9401	FX16SPL650/55/840/BK/480*	657W	95,720
9393	FX16SPL650/55/850/BK/480*	657W	95,720

SKU	Product Code	Description
P10230	PWC-300V2-30FT	Black SO Cord 30ft for 300V 2 Conductor
P10305	LASER-SPL/GRN	Laser Pointer for 16" SPL
P10307	MT-SF-16SPL/BK	Slip Fitter Mount for 16" SPL
P10296	LENS-SPL16-NEMA3G1	Type 3 Lens
P10297	LENS-SPL16-NEMA4G1	Type 4 Lens
P10298	LENS-SPL16-NEMA5G1	Type 5 Lens

* Made to order



18

SPORTS LIGHT (15")

DLC Premium & IP66 Rated (120-277V, 277-480V)



SKU Code	Product Code	Watts	Lumens
9597	FX15SPL400/44/50K/BK	406W	53,853
9598	FX15SPL400/55/50K/BK	406W	53,853
9588	FX15SPL500SW/44/50K/BK/480	300W	50,700
		400W	64,000
		500W	75,500

SKU	Product Code	Description
P10306	MT-SF-15SPL/BK	Slip Fitter for 15" SPL
P10322	LASER-SPL/GN-A	Laser Pointer for 15" SPL
P10340	LENS-SPL15-NEMA55	Type 5 Lens for 15" SPL



TENNIS COURT AREA LIGHT

DLC Premium & IP66 Rated



SKU Code	Product Code	Watts	Lumens
5200	FXSCL150SW/840/BK/TT	90W	12,649
		120W	16,800
		150W	21,118
5201	FXSCL320SW/840/BK/TT	180W	25,200
		240W	33,600
		320W	44,800
5202	FXSCL400SW/840/BK/TT	240W	36,000
		320W	48,000
		400W	60,000
5203	FXSCL600SW/840/BK/TT	400W	60,000
		500W	75,000
		600W	89,834
• 9594	FXSAL400/840/BK/T4	420W	63,749
• 9593	FXSAL400/840/BK/TT	420W	63,879

SKU	Product Code	Description
P10472	MT-SAL/YK16/BK	16" Yoke Mount
P10468	MT-AL/PM6/BK	6" Pole Mount
P10470	MT-AL/SF/BK	Slip Fitter Mount
P10506	MT-AL/RSF/1.5x3.5/BK	Rectangular Slip Fitter Mount
P10526	MT-TAS/5RT-5ft/BK*	5' Single Tennis Arm Straight Arm Black
P10527	MT-TAD70/5RT-5ft/BK*	70° Double Tennis Arms Black
P10528	MT-TAD90/5RT-5ft/BK*	90° Double Tennis Arms Black
P10529	MT-TAD180/5RT-5ft/BK*	180° Double Tennis Arms Black
P10530	MT-TAQ90/5RT-5ft/BK*	90° Quad Tennis Arms Black
P10509	MT-4SFA/BK	Slip Fitter Adaptor for 4" Single Davit Arm
P10510	MT-3.5RTDAV4/38in/BK*	4" Diameter Davit Arm (38") for 3.5" Pole top
P10511	MT-4RTDAV3.5-2180/BK*	Twin 4" Diameter Davit Arm Adaptor for 4" Pole top
P10512	MT-4RTDAV3.5-490/BK*	Quad 4" Diameter Davit Arm Adapter for 4" Pole Top
P10450	LENS-SAL-L-TT	Tennis Type Lens (4 pcs per fixture)
P10451	LENS-SAL-L-T4	Type 4 Lens (4 pcs per fixture)

* Made to order

• Limited Stock



20

COMPACT AREA LIGHT (with Z10 Receptacle)

Selectable Wattages & CCT3 (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9530	CAL/150S/T3/C3/BZ-Z10	70W	9,100
		100W	13,527
		150W	19,842
9531	CAL/300S/T3/C3/BZ-Z10	200W	26,000
		240W	32,491
		300W	40,397

SKU	Product Code	Description
P10522	SEN-ANT-6-Z10	Z10 Twist Lock PIR Motion & Photocell Sensor
P10520	SEN-ANT-5-Z10-PC	Z10 Twist Lock Photocell 12-24Vdc
P10316	SEN-BRI-RC100	Remote Programmer



SKU Code	Product Code	Watts	Lumens
• 9492	FXCAL100/840/BZ/3S	100W	14,000
• 9493	FXCAL100/850/BZ/3S	100W	14,100
• 9494	FXCAL150/840/BZ/3S	150W	21,000
• 9495	FXCAL150/850/BZ/3S	150W	21,150
• 9496	FXCAL240/840/BZ/3S	240W	33,600
• 9497	FXCAL240/850/BZ/3S	240W	33,840
• 9498	FXCAL300/840/BZ/3S	300W	42,000
• 9499	FXCAL300/850/BZ/3S	300W	42,300
• 9528	FXCAL150/840/BZ/3S/480	150W	21,000
• 9529	FXCAL150/850/BZ/3S/480	150W	21,000
• 9518	FXCAL300/840/BZ/3S/480	300W	42,000
• 9519	FXCAL300/850/BZ/3S/480	300W	42,000
• 9512	FXCAL100/840/BZ/3S/347	100W	14,000
• 9513	FXCAL100/850/BZ/3S/347	100W	14,000
• 9514	FXCAL150/840/BZ/3S/347	150W	21,000
• 9515	FXCAL150/850/BZ/3S/347	150W	21,000
• 9516	FXCAL300/840/BZ/3S/347	300W	42,000
• 9517	FXCAL300/850/BZ/3S/347	300W	42,000

• Limited Stock



SKU	Product Code	Description
P10365	MT-CAL/PM8/BZ	8" Pole Mount Arm
P10366	MT-CAL/SF/BZ	Slip Fitter Mount
P10367	MT-CAL/YK13/BZ	13" Yoke Mount
K473478	MT-AL/WM/BZ	Wall Mount Kit (replaces K379200)
P10405	GSFB-CAL/BZ	Glare Shield (2 pcs for 240/300W)
P10398	LENS-CAL-IV	Type 4 Lens (2 pcs for 240/300W)
P10399	LENS-CAL-V	Type 5 Lens (2 pcs for 240/300W)
P10387	SEN-BRI823-B-D	PIR Motion/Photocell 0-10V Bi-Level Control 120-277V (for Single Wattage/CCT)
P10371	SEN-BRI619	PIR Motion/Photocell 0-10V Bi-Level Control internal 12V for 347V/480V (for Single Wattage/CCT)
P10316	SEN-BRI-RC100	Remote Programmer for P10371, P10387


Pole Brackets

SKU	Product Code	Description
P10354	MT-4STC/BK	Top Cap for 4" Square Pole - Black
P10348	MT-3RTV2.5-1/BZ	3" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10349	MT-4RTV2.5-1/BZ	4" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10350	MT-5RTV2.5-1/BZ	5" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10351	MT-3STV2.5-1/BZ	3" Square Pole Mount adapter with 2-3/8" O.D. Tenon
P10352	MT-4STV2.5-1/BZ	4" Square Pole Mount adapter with 2-3/8" O.D. Tenon
P10353	MT-5STV2.5-1/BZ	5" Square Pole Mount adapter with 2-3/8" O.D. TenonWall
P10363	MT-4WM2.5-1/BZ	Mount Bracket with 2-3/8" O.D. Tenon
P10364	MT-4WM2.5-190/BZ	90° Angled Wall Mount with 2-3/8" Tenon
P10360	MT-4STV2.5-2180/BZ *FE*	4" Square Pole Mount w/Double 2-3/8" O.D. Tenon-180°
P10361	MT-4STV2.5-3180/BZ *FE*	4" Square Pole Mount w/Triple 2-3/8" O.D. Tenon-180°
P10362	MT-4STV2.5-490/BZ *FE*	4" Square Pole Mount w/Quad 2-3/8" O.D. Tenon-90°
P10356	MT-2.5RTBV2.5-2180/BZ *FE*	Bullhorn with Double 2-3/8" O.D. Tenon-180°
P10357	MT-2.5RTBV2.5-3180/BZ *FE*	Bullhorn with Triple 2-3/8" O.D. Tenon-180°
P10358	MT-2.5RTBV2.5-3120/BZ *FE*	Bullhorn with Triple 2-3/8" O.D. Tenon-120°
P10359	MT-2.5RTBH2.5-290/BZ *FE*	Spoke Mount Bracket w/Double 2-3/8" O.D. Tenon-90°

FE - Freight Exception

SLIM AREA LIGHT (with Z10 Receptacle)

Selectable Wattages, 3CCT (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9677	SAL/150S/T3/8C3/BZ-Z10	90W	12,649
		120W	16,800
		150W	21,118
9681	SAL/150S/T3/8C3/BK-Z10	90W	12,649
		120W	16,800
		150W	21,118
9679	SAL/150S/T3/8C3/WH-Z10	90W	12,649
		120W	16,800
		150W	21,118
9678	SAL/340S/T3/8C3/BZ-Z10	200W	28,000
		270W	37,800
		340W	47,600
9682	SAL/340S/T3/8C3/BK-Z10	200W	28,000
		270W	37,800
		340W	47,600
9680	SAL/340S/T3/8C3/WH-Z10	200W	28,000
		270W	37,800
		340W	47,600
9720	SAL/150S/T3/8C3/BZ/480-Z10*	90W	12,649
		120W	16,800
		150W	21,118
9721	SAL/150S/T3/8C3/BK/480-Z10*	90W	12,649
		120W	16,800
		150W	21,118
9722	SAL/150S/T3/8C3/WH/480-Z10*	90W	12,649
		120W	16,800
		150W	21,118
9723	SAL/340S/T3/8C3/BZ/480-Z10*	200W	28,000
		270W	37,800
		340W	47,600
9724	SAL/340S/T3/8C3/BK/480-Z10*	200W	28,000
		270W	37,800
		340W	47,600
9725	SAL/340S/T3/8C3/WH/480-Z10*	200W	28,000
		270W	37,800
		340W	47,600

* Made to order

SLIM AREA LIGHT

Selectable Wattages, 3CCT (30/40/50K) & Single CCT



SKU Code	Product Code	Watts	Lumens
9657	FXSAL25/8CCT3/BZ/T3*	25W	3,500
9658	FXSAL42/8CCT3/BZ/T3*	42W	6,090
9659	FXSAL50/8CCT3/BZ/T3*	50W	7,000
9662	FXSAL25/8CCT3/BZ/T3/480*	25W	3,500
9663	FXSAL42/8CCT3/BZ/T3/480*	42W	6,090
9664	FXSAL50/8CCT3/BZ/T3/480*	50W	7,000
9605	FXSAL75SW/8CCT3/BZ/T3	25W 50W 75W	3,500 7,000 10,555
9649	FXSAL75SW/8CCT3/BK/T3	25W 50W 75W	3,500 7,000 10,555
9622	FXSAL75SW/8CCT3/WH/T3	25W 50W 75W	3,500 7,000 10,555
9647	FXSAL75SW/8CCT3/BZ/T3/480*	25W 50W 75W	3,500 7,000 11,224
7656	FXSAL75SW/8CCT3/WH/T3/480*	25W 50W 75W	3,500 7,000 11,224

* Made to order

SLIM AREA LIGHT

Accessories



SKU	Product Code	Description
P10453	MT-AL/PM6/BZ	6" Pole Mount - Bronze
P10458	MT-AL/PM6/WH	6" Pole Mount - White
P10468	MT-AL/PM6/BK	6" Pole Mount - Black
P10455	MT-AL/SF/BZ	Slip Fitter - Bronze
P10460	MT-AL/SF/WH	Slip Fitter - White
P10470	MT-AL/SF/BK	Slip Fitter - Black
P10473	MT-AL/WM/BZ	Wall Mount - Bronze
P10474	MT-AL/WM/WH	Wall Mount - White
P10475	MT-AL/WM/BK	Wall Mount - Black
P10456	MT-SAL/YK12/BZ	12" Yoke Mount - Bronze
P10461	MT-SAL/YK12/WH	12" Yoke Mount - White
P10471	MT-SAL/YK12/BK	12" Yoke Mount - Black
P10481	GSFB-SAL/BZ	Glare Shield - Bronze (240-320W requires 2pcs)
P10482	GSFB-SAL/WH	Glare Shield - White (240-320W requires 2pcs)
P10483	GSFB-SAL/BK	Glare Shield - Black (240-320W requires 2pcs)
P10467	LENS-SAL-T4-G1	Type 4 Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10499	LENS-SAL-T5-G1	Type 5 Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10500	LENS-SAL-T3-BLC-G1	Type 3 Back Light Cut Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10371	SEN-BRI619	PIR Motion/Photocell 0-10V Bi-Level Control Internal 12V for 120-480V
P10316	SEN-BRI-RC100	Remote Programmer for P10371



22

JELLY JAR VAPOR TIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7604	LED-FXVTJ20/830/MV-WM	20W	1,713
7605	LED-FXVTJ20/840/MV-WM	20W	1,713
7606	LED-FXVTJ20/830/MV-CM	20W	1,713
7607	LED-FXVTJ20/840/MV-CM	20W	1,713

SKU	Product Code	Description
P10169	LENS-VTJ	Replacement Lens for Vapor Tight Jelly Jar



23

BULKHEAD WALL LIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7024	LED-FXBWL10/830/BK	10W	700
7046	LED-FXBWL10/840/BK	10W	700
7025	LED-FXBWL10/850/BK	10W	700
7062	LED-FXBWL10/830/WH	10W	700



24

PORCH & OUTDOOR WALL LIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7158	FXDWL14/105L840/BK/OD	14W	1,050
7159	FXDAL14/12FR/98L840/BK/OD	14W	840
7160	FXDWSL10.5/FR/105L940/OD	10.5W	1,050



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

25

3-WAY WALL SCONCE

Up, Down, or Up & Down, Photocell Included



SKU Code	Product Code	Watts	Lumens
7644	FX4DWS20SW/20/8CCT3/BK/347-PH	20W	2,300
7531	FX4DWS20SW/20/8CCT3/WH/347-PH	20W	2,300
7645	FX6DWS36SW/20/8CCT3/BK/347-PH	36W	4,680
7532	FX6DWS36SW/20/8CCT3/WH/347-PH	36W	4,680



26

UP/DOWN WALL SCONCE

Energy Star



SKU Code	Product Code	Watts	Lumens
7026	LED-FXDWS10/830/BK	10W	700
7027	LED-FXDWS10/850/BK	10W	700
7064	LED-FXDWS20/830/BK	20W	1,400
7065	LED-FXDWS20/850/BK	20W	1,400
• 7068	LED-FXDWS10/830/WH	10W	700
• 7069	LED-FXDWS10/850/WH	10W	700
• 7071	LED-FXDWS20/850/WH	20W	1,400
7022	LED-FXDWS10/830/NI	10W	700
7023	LED-FXDWS20/830/NI	20W	1,400
7792	LED-FX5DWS25/33S/930/BK	25W	1,750

• Limited Stock



27

SECURITY FLOOD LIGHT

Energy Star & Wet Location Rated, Motion Sensor Included



50,000
Rated
Life Hours



SKU Code	Product Code	Watts	Lumens
9691	BFD20/830/BK-SEN	20W	1,400
9692	BFD20/850/BK-SEN	20W	1,400
9693	BFD20/830/WH-SEN	20W	1,400
9694	BFD20/850/WH-SEN	20W	1,400



28

SECURITY LIGHT

DLC Premium, Energy Star, IP65 Rated, Photocell Included



50,000
Rated
Life Hours



0-10V
Dimming



SKU Code	Product Code	Watts	Lumens
9410	FXSECW15/840/DB/MV	15W	2,024
9411	FXSECW15/850/DB/MV	15W	2,027
9412	FXSECW30/840/DB/MV	29W	3,933
9413	FXSECW30/850/DB/MV	29W	3,949
• 7790	LED-FXSECSD25/40K	24W	2,250

• Energy Star



29

DUSK TO DAWN SECURITY LIGHT

DLC Premium, IP65 Rated, CCT3 (30/40/50K)



Photocell Included



50,000
Rated
Life Hours



SKU Code	Product Code	Watts	Lumens
9226	FXSECSD30/CCT3	30W	4,256

SKU	Product Code	Description
P10054	MT-DEA16	16" Extension Arm Pole



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

30

HID RETROFIT KIT

DLC Premium



SKU Code	Product Code	Watts	Lumens
9600	RKIT50HID/8CCT3	50W	6,367
9601	RKIT100HID/8CCT3	100W	12,987
9602	RKIT180HID/850	180W	24,496
9603	RKIT240HID/850	240W	32,170

SKU	Product Code	Description
P10374	MT-RKIT-E26	E26 adaptor for HID Retrofit kit
P10448	BALED-SS-100M-56BH	277-480V Driver for #9601
P10447	BALED-SS-240M-56BH	277-480V Driver for #9602 #9603



31

WORK LIGHTS

Wet Rated Location/IP64 Rated



SKU Code	Product Code	Watts	Lumens
• 4560	LED36PWL/FR33/850	36W	3,300
• 4561	LED93PWL/FR70/850	93W	7,000

• Limited Stock



01

ULTRA SLIM DISK LIGHT

Energy Star, CCT5 (27/30/35/40/50K), CCT3 (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9361	LED4DLR-65L9CCT5	10W	650
9363	LED6DLR-90L9CCT5	12W	900
9362	LED4DLS-65L9CCT5	10W	650
9364	LED6DLS-90L9CCT5	12W	900
• 9369	LED4DLS-60L9CCT3	9W	600
• 9371	LED6DLS-80L9CCT3	12W	800

SKU	Product Code	Description
P10308	PLT-NC/4DL	4" Round Pre Mounting Plate
P10309	PLT-NC/6DL	6" Round Pre Mounting Plate
P10375	PLT-NC/DL/3-4-6-8	Universal Plate for 3/4/6/8" Disk Light

• Limited Stock



02

RECESSED DOWNLIGHT

Energy Star & Wet Location Rated



SKU Code	Product Code	Watts	Lumens
9524	LED4RL9-55L930	9W	550
9525	LED6RL14-110L930	14W	1,100
9526	LED4RL10-75L9CCT5	10W	750
9527	LED6RL14-110L9CCT5	14W	1,100

SKU	Product Code	Description
P10029	ADP-RLGU24-N	GU24 Socket Adaptor
P10404	RT-6RL15-BZ	Trim for #9527-Bronze
P10170	RT-4RL9-BK	Trim 4" - Black
P10173	RT-6RL15-BK	Trim 5/6" - Black
P10171	RT-4RL9-CH	Trim 4" - Chrome
P10174	RT-6RL15-CH	Trim 5/6" - Chrome
P10172	RT-4RL9-CH-WH	Trim 4" - Chrome White
P10175	RT-6RL15-CH-WH	Trim 5/6" - Chrome White
P10177	RTS-6RL15-WH	Square Trim 5/6" - White



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

03

COMMERCIAL RECESSED LIGHT

Selectable Wattage, CCT3 (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9466	LED6CRL15SW-127L9CCT3/MV	9/12/15W	760 / 1,020 / 1,275
9467	LED8CRL27SW-243L9CCT3/MV	16/21/27W	1,440 / 1,890 / 2,430
9468	LED10CRL30SW-270L9CCT3/MV	18/23/30W	1,620 / 2,070 / 2,700

SKU	Product Code	Description
P10309	PLT-NC/6DL	6" Round Pre-Mounting Plate
P10375	PLT-NC/DL/3-4-6-8	Universal Plate for 3/4/6/8" Disk Light
P10318	PLT-NC/8DL-LONG	8" Round Pre-Mounting Long Plate
P10426	MT-TBAR-EM-2ft	T-Grid Hanger for Emergency Driver



04

FLUSH MOUNT DISK

Energy Star, CCT5 (27/30/35/40/50K)



SKU Code	Product Code	Watts	Lumens
9440	LED6FMD-110L9CCT5	14W	1,100
9472	LED12FMD-96L840	12W	960
9473	LED12FMD-96L9CCT5	12W	960



05

FLUSH MOUNT COMPACT

Energy Star, CCT5 (27/30/35/40/50K)



E26 Base is included



SKU Code	Product Code	Watts	Lumens
9522	LED7FMC-96L930	12W	960
9523	LED7FMC-96L9CCT5	12W	960



06

FMR ROUND

Energy Star, CCT5 (27/30/35/40/50K), Single CCT



SKU Code	Product Code	Watts	Lumens
9359	LED12FMR-112L9CCT5	14W	1,120
9360	LED16FMR-200L9CCT5	24W	2,000
• 7146	LED16FMR-160L830	22W	1,672
• 7147	LED16FMR-160L840	22W	1,672
• 7157	LED16FMR-160L850	22W	1,672

• Limited Stock

SKU	Product Code	Description
P10132	LENS-12FMR	Replacement Lens for 12" FMR
P10133	LENS-16FMR	Replacement Lens for 16" FMR



07

FLUSH MOUNT MODERN

Energy Star, CCT5 (27/30/35/40/50K), Single CCT



SKU Code	Product Code	Watts	Lumens
9356	LED12FMM-126L9CCT5-NI	18W	1,260
9357	LED14FMM-180L9CCT5-NI	24W	1,800
9358	LED16FMM-190L9CCT5-NI	24W	1,900
• 7430	LED12FMM-138L830-NI	18W	1,380
• 7433	LED14FMM-165L830-NI	22W	1,700
• 7434	LED14FMM-165L840-NI	22W	1,700
• 7533	LED16FMM-196L830-NI	26W	1,960
• 7534	LED16FMM-196L840-NI	26W	1,960
• 7596	LED12FMM-138L840-NI/MV	18W	1,380
• 7597	LED14FMM-165L840-NI/MV	22W	1,652

• Limited Stock



08

PENDANT LIGHT

Selectable Wattages & CCT5 (27/30/35/40/50K)



SKU Code	Product Code	Watts	Lumens
7047	FX4PCL30SW/50CL/9CCT5/BK/MV	18W	1,260
		24W	1,680
		30W	2,100

SKU	Product Code	Description
P10063	MT-PCL-ROD-BK-24IN	Pendant Rod 24"



09

PENDANT LIGHT

Energy Star & CRI 90



SKU Code	Product Code	Watts	Lumens
7794	LED-FX4PCL18/33/930/BK	18W	1,300



10

DECORATIVE ACCENT

Energy Star & CRI 80



SKU Code	Product Code	Watts	Lumens
7018	LED-FXDAL23/12FR/830/NI	23W	1,610
7019	LED-FXDAL23/12FR/840/NI	23W	1,610
7020	LED-FXDAL23/24FR/830/NI	23W	2,000
7021	LED-FXDAL23/24FR/840/NI	23W	2,000

SKU	Product Code	Description
P10077	SWCH-ZE109-NI	Pull String Switch
P10078	SWCH-ZE204A	Toggle Switch



11

EMERGENCY EXIT LIGHT

SKU Code	Product Code	Watts	Voltage
7521	LEDEX-GRN/RED-WH	1W	120/277V
7522	LEDEM-FD-WH	2W	120/277V
7528	LEDEX-EMFD-GRN/RED-WH	3.5W	120/277V

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

12

COMMERCIAL WRAP

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9585	FXCWS44SW/48FR/8CCT3	22W	3,102
		28W	3,920
		34W	4,726
		44W	6,063

SKU	Product Code	Description
P10157	WG-9CWS44/48/WH	Wire Guard
P10016	LENS-CWS44/4FT	Replacement Lens



13

UTILITY WRAP

DLC Premium & CRI 80



SKU Code	Product Code	Watts	Lumens
9538	FXUWS27/48CL/840	27W	3,510
9539	FXUWS27/48CL/850	27W	3,510

SKU	Product Code	Description
P10249	WG-UWS/48/WH	Wire Guard
K7336197	FXUWS-BAEM-MT	Kit for EM Driver with Wireway Cover
K234197	FXUWS27-MC605VD-PLT	Motion Sensor with Wireway Cover Kit
P10197	PLT-UWS/4FT/WH	Wireway Cover
P10407	LENS-UWS27	Replacement Lens



14

NARROW UTILITY STRIP LIGHT



SKU Code	Product Code	Watts	Lumens
7593	LED-FXUSL40/48FR/840/MV	38W	5,241
7594	LED-FXUSL40/48FR/850/MV	38W	5,395
9253	LED-FXUSL40/48FR/840/MV-SEN	38W	5,241

SKU	Product Code	Description
P10303	WG-USL/48/WH	Wire Guard



15

COMMERCIAL STRIP LIGHT

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9575	FXCSL44SW/48FR/8CCT3/MV	22W	2,970
		28W	3,640
		36W	4,680
		44W	5,724
9578	FXCSL68SW/96FR/8CCT3/MV *FE*	44W	6,248
		58W	7,540
		68W	9,398
9577	FXCSL22/24FR/8CCT3/347	22W	2,878

SKU	Product Code	Description
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
P10323	SEN-HD05R	Remote Programmer for P10438
P10010	WG-2.5CSL/24/WH	Wire Guard for #9577
P10011	WG-2.5CSL/48/WH	WireGuard for #9575 (2pcs for 8-ft)

FE - Freight Exception



16

RETROFIT STRIP LIGHT

3CCT, Single Wattage



SKU Code	Product Code	Watts	Lumens
7161	FXRSL44SW/48FR/8CCT3/MV	22W	2,860
		27W	3,510
		35W	4,550
		44W	5,720
7162	FXRSL68SW/96FR/8CCT3/MV	44W	5,720
		58W	7,450
		60W	8,840
9346	LED-FXRSL25/48FR/840/MV	25W	3,944
9347	LED-FXRSL25/48FR/850/MV	25W	3,977
9348	LED-FXRSL56/96FR/840/MV *FE*	55W	8,425
9349	LED-FXRSL56/96FR/850/MV *FE*	55W	8,464

• Limited Stock

FE - Freight Exception



17

HIGH OUTPUT VAPOR TIGHT

JA8 / CEC



SKU Code	Product Code	Watts	Lumens
9676	VTL11/200S/48FR/8C3/347	120W	19,200
		160W	25,600
		200W	32,000

SKU	Product Code	Description
7341	BAEM20-260BC/347-A	20W 90-260Vdc Output -CEC Compliant LED Emergency Driver 120-347V



18

VAPOR TIGHT LINEAR

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9709	VTL4/25S/24FR/8C3	15W	2,175
		20W	2,900
		25W	3,625
9710	VTL4/50S/48FR/8C3	30W	4,350
		40W	5,800
		50W	7,250
9711	VTL4/90S/96FR/8C3 *FE*	70W	10,150
		80W	11,600
		90W	13,050
9712	VTL4/50S/48PG/8C3	30W	3,600
		40W	4,800
		50W	6,000

SKU	Product Code	Description
P10590	SEN-HD027VCR	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD06R	Remote Programmer



19

VAPOR TIGHT LINEAR

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
• 9561	FXVTL30SW/24FR/8CCT3	20/25/30W	2,613/ 3,250/ 4,156
• 9562	FXVTL60SW/48FR/8CCT3	30/45/60W	4,188/ 5,850/ 8,010
• 9563	FXVTL100SW/96FR/840 *FE*	60/80/100W	7,987/ 10,400/ 13,407
• 9564	FXVTL100SW/96FR/850 *FE*	60/80/100W	8,108/ 10,400/ 13,586
• 9296	FXVTL40/48FR/840/347	41W	5,397

SKU	Product Code	Description
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
K438380	SEN-HB001VCR/BA12V	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD05R	Remote Programmer for K438380 and P10438
P10411	MT-Linear-45/90	45°/90° Angle Mount Bracket for 9561 and 9562
K7336412	FXVTL30-BAEM-MTG1	Emergency Driver(7336) with Mounting Plate for 9561
K7334412	FXVTL-BAEM-MTG1	Emergency Driver(7334) with Mounting Plate

• Limited Stock



Specifications may change without prior notice.

An additional fee will be applied for accessories installed per fixture.

LINEAR ARCHITECTURAL

Selectable Wattages, CCT5 (30/35/40/50/65K)



SKU Code	Product Code	Watts	Lumens
9548	FXLAL30SW/24FR/8CCT5/WH/347	15W	1,890
		20W	2,520
		24W	3,024
		27W	3,402
		30W	3,780
9549	FXLAL60SW/48FR/8CCT5/WH/347	30W	3,780
		35W	4,410
		40W	5,040
		50W	6,300
		60W	7,560
9551	FXLAL30SW/24FR/8CCT5/BK/347	15W	1,890
		20W	2,520
		24W	3,024
		27W	3,402
		30W	3,780
9552	FXLAL60SW/48FR/8CCT5/BK/347	30W	3,780
		35W	4,410
		40W	5,040
		50W	6,300
		60W	7,560

SKU	Product Code	Description
P10582	MT-LAL/WM/WH	Wall Mount Clips - White (2pcs)
P10583	MT-LAL/WM/BK	Wall Mount Clips - Black (2pcs)
P10584	MT-LAL/CM	Ceiling Mount Clips (2pcs)
P10585	PWC-300V3-WH-10FT-QC	Power Whip 10' 300V 3 Conductor White
P10586	PWC-300V3-BK-10FT-QC	Power Ship 10' 300V 3 Conductor Black
P10548	LM-2.5LAL/24/WH	Upper Light Bar Module - 24" White for 9548
P10549	LM-2.5LAL/48/WH	Upper Light Bar Module - 48" White for 9549
P10550	LM-2.5LAL/24/BK	Upper Light Bar Module - 24" Black for 9551
P10551	LM-2.5LAL/48/BK	Upper Light Bar Module - 48" Black for 9552
P10547	CNTR-2.5LAL/KIT	Joint Connector - Extension Kit
P10552	CNTR-2.5LAL/L/WH	Joint Connector - L Shape White
P10553	CNTR-2.5LAL/T/WH	Joint Connector - T Shape White
P10554	CNTR-2.5LAL/X/WH	Joint Connector - X Shape White
P10555	CNTR-2.5LAL/L/BK	Joint Connector - L Shape Black
P10556	CNTR-2.5LAL/T/BK	Joint Connector - T Shape Black
P10557	CNTR-2.5LAL/X/BK	Joint Connector - X Shape Black



21

BACK-LIT FLAT PANEL

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9462	FXPNL40/1x4/8CCT3	40W	4,480
7526	FXPNL38SW/2X2/8CCT3	23W	2,714
		29W	3,335
		38W	4,180
7527	FXPNL46SW/2X4/8CCT3	28W	3,360
		39W	4,524
		46W	5,280

SKU	Product Code	Description
P10588	MT-2x2BOX-2.25in	2.25" Height 2x2 Surface Mount Kit for Back-Lit Panel / Troffer
P10589	MT-2x4BOX-2.25in	2.25" Height 2x4 Surface Mount Kit for Back-Lit Panel / Troffer



22

BACK-LIT FLAT PANEL

Single Wattage, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9665	FXPNL23/2X2/8CCT3*	23W	2,714
9666	FXPNL29/2X2/8CCT3*	29W	3,335
9667	FXPNL28/2X4/8CCT3*	28W	3,360
9668	FXPNL39/2X4/8CCT3*	39W	4,524

SKU	Product Code	Description
P10416	MT-1X4BOX-3.0IN	3.0" Height Surface Mount Kit (1'x4')
P10417	MT-2X2BOX-3.0IN	3.0" Height Surface Mount Kit (2'x2')
P10418	MT-2X4BOX-3.0IN	3.0" Height Surface Mount Kit (2'x4')
P10334	MT-1x4BOX-4.5IN	4.5" Height Surface Mount Kit (1'x4')
P10335	MT-2x2BOX-4.5IN	4.5" Height Surface Mount Kit (2'x2')
P10336	MT-2x4BOX-4.5IN	4.5" Height Surface Mount Kit (2'x4')
P10314	MT-1X4FMBOX	Flange Mount Kit (1'x4')
P10228	MT-2X2FMBOX	Flange Mount Kit (2'x2')
P10229	MT-2X4FMBOX	Flange Mount Kit (2'x4')
K7338333	FXPNL-BAEM-MT1FT-BLP/347	Kit EM Driver and plate for 1'x4'
7338	BAEM8L-60BC/347-A	Emergency Driver for 2'x2'/2'x4'

*Made to order



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

23

FLUSH MOUNT PANEL

CCT3 (35/40/50K) -120V



SKU Code	Product Code	Watts	Lumens
7103	FXPNL45/1x4/9CCT3/120	45W	3,600



24

TROFFER

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9586	FXTF36SW/2X2/8CCT3G1	20W	2,640
		30W	3,810
		36W	4,572
9587	FXTF45SW/2X4/8CCT3G1	30W	4,050
		40W	5,200
		45W	5,850

SKU	Product Code	Description
K7336593	FXTFSW-BAEM-MT-G1	LED Emergency Driver for 100-277V with a mounting plate for Troffer
K234593	FXTFSW/MC605-MT-G1	Microwave Motion Sensor for 100-277V with a mounting plate for Troffer



25

TROFFER

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
• 9559	FXTF36SW/2x2/8CCT3	20W	2,600
		30W	4,100
		36W	4,576
• 9560	FXTF45SW/2x4/8CCT3	30W	3,900
		40W	5,700
		45W	6,003

SKU	Product Code	Description
P10417	MT-2X2BOX-3.0IN	3.0" Height Surface Mount Kit (2'x2')
P10418	MT-2X4BOX-3.0IN	3.0" Height Surface Mount Kit (2'x4')
P10335	MT-2x2BOX-4.5in	4.5" Height Surface Mount Kit (2'x2')
P10336	MT-2x4BOX-4.5in	4.5" Height Surface Mount Kit (2'x4')
P10228	MT-2X2FMBOX	2x2 Flange Mount Kit
P10229	MT-2X4FMBOX	2x4 Flange Mount Kit
K7336427	FXTFSW-BAEM-MT	Emergency Driver w/ Plate Kit
K234427	FXTFSW/MC605-MT	Microwave Motion Sensor w/ Plate Kit

• Limited Stock



26

TROFFER (RETROFIT)

DLC Premium, Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9213	FXRTF25SW/2X2/8CCT3	16W	2,092
		20W	2,616
		25W	3,163
9214	FXRTF27SW/2X4/8CCT3	18W	2,264
		22W	3,133
		27W	3,958
9215	FXRTF50SW/2x4/8CCT3	34W	4,250
		42W	5,250
		50W	6,520



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

ROUND HIGH BAY (with Z10 Receptacle)

DLC Premium & IP66



SKU Code	Product Code	Watts	Lumens
9683	HBR10/150S/110/8C2/BK-Z10	100W	14,000
		125W	18,513
		150W	20,830
9684	HBR10/150S/110/8C2/WH-Z10	100W	14,000
		125W	18,513
		150W	20,830
9685	HBR13/240S/110/8C2/BK-Z10	150W	21,000
		200W	28,742
		240W	33,987
9705	HBR13/240S/110/8C2/WH-Z10	150W	21,000
		200W	28,742
		240W	33,987

SKU	Product Code	Description
P10569	SEN-ANT-6-Z10-EM	Remote Programmable PIR Motion Sensor 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10569
7344	BAEM40-HBR-170BC/347	40W 120-347V Emergency Battery Back Up for Round High Bay
P10594	BAEM-RT-EMHBR	Remote Test Switch for 7344
P10376	CVR-11HBR100-PC	High Bay PC Reflector 11"
P10377	CVR-13HBR150-PC	High Bay PC Reflector 13"
P10191	ADP-1/2-3/4NPT	1/2" to 3/4" NPT Adaptor for Pendant Mount



28

ROUND HIGH BAY

DLC Premium & IP66



SKU Code	Product Code	Watts	Lumens
• 9469	FX11HBR100/90/850/WH/IP66	100W	15,321
• 9470	FX13HBR150/90/850/WH/IP66	150W	23,097
• 9555	FX15HBR200/90/850/WH/IP66	200W	32,985
7165	FX15HBR200SW/90/850/BK/IP66480	120W	18,000
		160W	24,000
		200W	30,000
9438	FX11HBR100/90/850/BK/IP66/347	100W	15,321
9439	FX13HBR150/90/850/BK/IP66/347	150W	23,097
9556	FX15HBR200/90/850/BK/IP66/347	200W	32,985

• Limited Stock

SKU	Product Code	Description
P10320	LENS-11HBR-120D-IP66	120° Lens for 11"
P10321	LENS-13HBR-120D-IP66	120° Lens for 13"
P10433	LENS-15HBR-120D-IP66	120° Lens for 15"
P10376	CVR-11HBR100-PC	PC Reflector for 11"
P10377	CVR-13HBR150-PC	PC Reflector for 13"
P10434	CVR-15HBR150-PC	PC Reflector for 15"
P10319	SEN-HD06VCRH	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD05R	Remote Programmer
P10191	ADP-1/2-3/4NPT	1/2" to 3/4" NPT Adaptor for Pendant Mount



LINEAR HIGH BAY (with Z10 Receptacle)

Selectable Wattages & CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9687	HBL/150S/22FR/8C3-Z10	90W	12,150
		120W	16,200
		150W	20,250
9688	HBL/300S/44FR/8C3-Z10	150W	20,250
		240W	32,400
		300W	40,500
9703	HBL/150S/22FR/8C3/480-Z10	90W	12,150
		120W	16,200
		150W	20,250
9704	HBL/300S/44FR/8C3/480-Z10	150W	20,250
		240W	32,400
		300W	40,500
9689	HBL/150S/22FR/8C3/347-Z10	90W	12,150
		120W	16,200
		150W	20,250
9690	HBL/300S/44FR/8C3/347-Z10	150W	20,250
		240W	32,400
		300W	40,500

SKU	Product Code	Description	
7341	BAEM20-260BC/347-A	20W 90-260Vdc Output -CEC Compliant LED Emergency Driver 120-347V	
P10522	SEN-ANT-6-Z10	Z10 Twist-Lock PIR Motion and Photocell Sensor, 0-10V, 12-24Vdc - White	
P10316	SEN-BRI-RC100	Remote Programmer for P10522	
P10576	WG-HBL22/WH-G1	Wire Guard for 22" HBL	
P10577	WG-HBL44/WH-G1	Wire Guard for 44" HBL	Yoke
P10092	MT-YK-HBL22	Yoke Mount 3/4" NPT for 22"	
P10093	MT-YK-HBL44	Yoke Mount 3/4" NPT for 44"	



01

INDUSTRIAL HIGH BAY

DLC, IP66 Rated, 5000K, 120-277V / 277-480V



SKU Code	Product Code	Watts	Voltage	Lumens
7523	FX16HBR100/110/850/IP66/MV* *FE*	100W	120-277V	17,872
7524	FX16HBR100/110/850/IP66/480* *FE*	100W	277-480V	17,892
9576	FX16HBR200/110/850/IP66/MV *FE*	200W	120-277V	35,472
9573	FX16HBR200/110/850/IP66/480 *FE*	200W	277-480V	36,281
9599	FX16HBR340/110/850/IP66/MV *FE*	340W	120-277V	57,532
9574	FX16HBR340/110/850/IP66/480 *FE*	340W	277-480V	57,826

SKU	Product Code	Description
P10440	CVR-16HBR-80-AL	80° Aluminum Reflector 23.2" Diameter x 9.84" Height
P10233	MT-PIPE075-MPT-18IN/BK	3/4" NPT 18" Black Steel Pendant Rod (Threaded)
P10439	MT-YK-HBR16-BK	Yoke Mount for 16" Industrial High Bay

*Made to order

FE - Freight Exception



01

FILAMENT

CRI 90, Energy Star, JA8



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5941	LED5CAF/FIL/E26/32L/922	5W	40W	325
▶ 5942	LED5G25/FIL/35L/922	5W	40W	350
▶ 5994	LED6.5A19/FIL/45L/922	6.5W	40W	455

▶ Energy Star



02

CANDELABRA / GLOBE

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 4562	LED4.5CAB/32L/E12/827	4.5W	40W	325
▶ 4563	LED4.5CAB/32L/E12/830	5W	40W	325
4564	LED4.5CAB/32L/E12/850	4.5W	40W	325
▶ 5781	LED5CAB/32L/E26/27K	5W	40W	325
▶ 5814	LED6G25/45L/27K	6W	40W	450

▶ Energy Star

• Limited Stock



03

A19 JA8/T20

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4513	LED12A19/110L/927	12W	75W	1,100
4528	LED12A19/110L/930	12W	75W	1,100
4533	LED12A19/110L/940	12W	75W	1,100
4529	LED12A19/110L/950	12W	75W	1,100
• 4524	LED5A19/45L/950	5W	40W	450
• 5948	LED6A19/48L/850	6W	40W	480
• 4512	LED6.5A19/48L/927	6.5W	40W	480
• 4525	LED9A19/81L/927	9W	60W	810

• Limited Stock



04

ENCLOSED FIXTURE RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4534	LED9A19/EC/81L/927	9W	60W	810
4586	LED9A19/EC/81L/930	9W	60W	810
4587	LED9A19/EC/81L/940	9W	60W	810
4588	LED9A19/EC/81L/950	9W	60W	810
4535	LED9A19/EC/81L/GU24/927	9W	60W	810
4615	LED9A19/EC/81L/GU24/940	9W	60W	810



05

A21 JA8/T20

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4514	LED17A21/160L/927	17W	100W	1,600
4530	LED17A21/160L/930	17W	100W	1,600
4531	LED17A21/160L/950	17W	100W	1,600
• 5962	LED15A21/160L/830	15W	100W	1,600

• Limited Stock



06

R / BR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 5834	LED8R20/50L/927	8W	50W	525
▶ 5982	LED8R20/52L/950	8W	50W	525
▶ 5835	LED9BR30/65L/927	9W	65W	650
▶ 5983	LED9BR30/71L/950	9W	65W	715
▶ 5842	LED12BR30/90L/927	12W	75W	938
▶ 5893	LED12BR30/95L/930	12W	75W	950
▶ 5978	LED12BR30/90L/940	12W	75W	950
▶ 5984	LED12BR30/95L/950	12W	75W	950
▶ 5836	LED15BR40/120L/927	15W	85W	1,200
▶ 5886	LED8BR30/65L/827CP (2 Pack)	8W	50W	610
• 5895	LED12BR40/105L/827	12W	75W	1,050
▶ 5986	LED14BR40/100L/930	14W	75W	1,000
• 5896	LED14BR40/100L/930	14W	75W	1,000
• 5784	LED17BR40/140L/27K	17W	100W	1,400

• Limited Stock

▶ Energy Star



07

PAR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5924	LED8PAR20/50L/FL/930	8W	50W	500
5925	LED8PAR20/50L/FL/950	8W	50W	500
5926	LED10PAR30/80L/FL/930	10W	75W	800
5927	LED10PAR30/80L/FL/950	10.5W	75W	800



08

PAR

CRI 80/90



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5856	LED7.6PAR20/50L/FL/840	7.6W	50W	500
• 5763	LED9.5PAR20/50L/FL/50K	9.5W	50W	500
• 5861	LED9PAR30/80L/FL/830	9W	75W	800
• 5862	LED9PAR30/80L/FL/840	9W	75W	800
• 5863	LED9PAR30/80L/FL/850	9W	75W	800
• 5756	LED14PAR30/88L/NFL/30K	14W	75W	880
• 5757	LED14PAR30/90L/NFL/50K	14W	75W	900
• 5764	LED14PAR30/80L/FL/30K	14W	75W	800
• 5765	LED14PAR30/86L/FL/50K	14W	75W	860
• 5790	LHO-9.5PAR30L/75L/FL/30K	9.5W	75W	750
• 5868	LED9PAR30L/80L/FL/840	9W	75W	800
• 5869	LED9PAR30L/80L/FL/850	9W	75W	800
• 5715	LHO12PAR30L/DIM/NFL/30K	12W	75W	830
• 5759	LED14PAR30L/90L/NFL/50K	14W	75W	900
• 5767	LED14PAR30L/86L/FL/50K	14W	75W	860
• 5907	▶ LED12PAR38/110L/930	12W	90W	1,050
• 5879	LHO18PAR38/125L/FL/27K	18W	150W	1,250
• 5880	LHO18PAR38/135L/FL/30K	18W	150W	1,350

- Limited Stock
- ▶ Energy Star



09

PAR OUTDOOR RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5928	LED10PAR30L/OD/80L/FL/930	10.5W	75W	800
5997	LED10PAR30L/OD/80L/FL/940	10.5W	75W	800
5929	LED10PAR30L/OD/80L/FL/950	10.5W	75W	800
5930	LED15PAR38/OD/120L/FL/930	15W	100W	1,200
5998	LED15PAR38/OD/120L/FL/940	15W	100W	1,200
5931	LED15PAR38/OD/120L/FL/950	15W	100W	1,200



10

MR16

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 4565	LED6MR16/50L/FL/830	6W	35W	500
▶ 4566	LED6.5MR16/50L/GU10/FL/930	6.5W	50W	500

▶ Energy Star



11

BI-PIN (JC & JCD)

Low / Line Voltage



SKU Code	Product Code	Watts	Base	Lumens
4510	LED2JC/16L/G4/830	2W	G4	160
4511	LED2JC/17L/G4/850	2W	G4	170
• 4508	LED2JCD/18L/G9/830	2W	G9	180
• 4509	LED2JCD/20L/G9/850	2W	G9	200
• 5848	LHO-JC1.6T4G4/50K	1.6W	G4	160

- Dimmable
- Limited Stock



FILAMENT HID LAMPS

Selectable Wattages & CCT3, Single Wattage



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4636	LED45FHID/SW/ED28/EX39/850	30W	150-250W	5,850
		38W		7,400
		45W		8,750
4637	LED85FHID/SW/ED37/EX39/850	60W	400-575W	11,700
		68W		13,200
		85W		16,500
4617	LED15FHID/ED17/E26/822	15W	<100W	2,325
4618	LED15FHID/ED17/E26/830	15W	150W	2,800
4619	LED15FHID/ED17/E26/850	15w	150W	2,800
4620	LED20FHID/ED23.5/EX39/830	20W	<100W	4,000
4621	LED20FHID/ED23.5/EX39/840	20W	<100W	4,000
4622	LED20FHID/ED23.5/EX39/850	20W	<100W	4,000
4623	LED25FHID/ED28/EX39/830	25W	150W	5,000
4624	LED25FHID/ED28/EX39/840	25W	150W	5,000
4625	LED25FHID/ED28/EX39/850	25W	150W	5,000
4626	LED30FHID/ED28/EX39/830	30W	150-175W	6,000
4627	LED30FHID/ED28/EX39/840	30W	150-175W	6,000
4628	LED30FHID/ED28/EX39/850	30W	150-175W	6,000
4629	LED40FHID/ED28/EX39/840	40W	250W	8,000
4630	LED40FHID/ED28/EX39/850	40W	250W	8,000
4631	LED40FHID/ED28C/EX39/840	40W	250W	8,000
4632	LED40FHID/ED28C/EX39/850	40W	250W	8,000
4633	LED55FHID/ED37/EX39/840	55W	400W	11,000
4634	LED55FHID/ED37/EX39/850	55W	400W	11,000

SKU	Product Code	Description
P10544	ADP-E26-EX39	Adapter for E26 Socket to E39/EX39 Lamp
P10545	ADP-EX39-E26	Adapter for E39/EX39 Socket to E26 Lamp



13

HID RETROFIT INTEGRATED BALLAST DLC



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4609	LED18HID/E26/279L/850	18W	50-150W	2,790
▶ 4610	LED27HID/EX39/418L/850	27W	150W	3,481
▶ 4611	LED36HID/EX39/558L/850	36W	200-250W	4,450
▶ 4612	LED80HID/EX39/1240L/850	80W	400W	9,980

▶ DLC



14

HID RETROFIT INTEGRATED BALLAST IP65 Rated



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4540	LED16HID/E26/190L/830	16W	50-100W	1,900
• 5965	LED20HID/E26/220L/827	20W	150W	2,200
• 4515	LED24HID/E26/270L/830	24W	150W	2,700
• 5967	LED28HID/E26/310L/827	28W	150W	3,100
• 5969	LED27HID/EX39/300L/830	25.3W	150W	2,903
• 5944	LED27HID/EX39/300L/850	25.3W	150W	2,903
• 5970	LED36HID/EX39/400L/830	35W	200W	4,008
• 4518	LED54HID/EX39/570L/830	54W	250W	5,130
• 5973	LED75HID/EX39/800L/840	75W	320W	8,153
• 5950	LED75HID/EX39/800L/850	75W	320W	8,153
• 4520	LED80HID/EX39/860L/850	80W	320W	7,600

• Limited Stock



15

PLUG-IN INSTANT FIT

Ballast Compatible



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4547	LED12PL/H/100L/4P/835/IF	12W	26W	1,050
4548	LED12PL/H/100L/4P/840/IF	12W	26W	1,100
4545	LED18PL/H/185L/4P/840/IF	18.5W	42W	1,850
4549	LED12PL/V/100L/4P/835/IF	12.5W	26W	1,050
4550	LED12PL/V/100L/4P/840/IF	12.5W	26W	1,100
4546	LED18PL/V/185L/4P/840/IF	20W	42W	1,850



16

PLUG-IN INSTANT FIT

Ballast Compatible



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4502	LED7PL/V/70L/4P/835/IF	8.5W	18W	700
• 4503	LED7PL/V/70L/4P/840/IF	8.5W	18W	700
• 5934	LED9PL/V/4P/935/IF	5/7/9W	13/18/26W	550/650/800
• 5935	LED9PL/V/4P/940/IF	5/7/9W	13/18/26W	550/650/800
• 5932	LED9PL/H/4P/935/IF	5/7/9W	13/18/26W	550/650/800

• Limited Stock



17

LED Tube (T5)

Instant Fit



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 5992	LED28T5/FR35/840/IF	28W	54W	3,500
▶ 5993	LED28T5/FR35/850/IF	28W	54W	3,500
• 5902	LED28T5/FR32/840/IF	28W	54W	3,200

▶ DLC

• Limited Stock



18

LED Tube (T5)

Integrated Driver Design



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5943	LED25T5/FR35/850	25W	54W	3,500



19

LED Tube w/ Emergency Battery

CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4613	LEDEM14.5T8/FR20/8CCT3/MV	14.5W	32W	2,000



20

LED Tube Type A & B Universal

CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4616	LED15T8/FR20/8CCT3/AB/UNV	15W	32W	2,050

SKU	Product Code	Description
P10568	BALED-100W-T8AB-DIM	Dimming Module for #4616



21

LED Tube T8 UBEND (Type A & B)

Selectable Wattages & CCT5 (30/35/40/50/65K)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4614	LED15SWT8U/24FR22/8CCT5AB/UNV	11.5W	32W	1,800
		13W		2,000
		15W		2,200



22

LED Tube (T8)

Integrated Driver Universal Design



(Shunted / Non-Shunted sockets)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4556	LED9T8/24FR11/840/UNV	9W	17W	1,150
4557	LED9T8/24FR11/850/UNV	9W	17W	1,150
4569	LED12T8/36FR14/840/UNV	12W	25W	1,450
4570	LED12T8/36FR14/850/UNV	12W	25W	1,450
4603	LED10.5T8/FR17/840/UNV	10.5W	32W	1,700
4604	LED10.5T8/FR17/850/UNV	10.5W	32W	1,700
4538	LED14T8/FR18/840/UNV	14W	32W	1,800
4539	LED14T8/FR18/850/UNV	14W	32W	1,800



22

LED Tube (T8)

Integrated Driver (UL Type B) Single & Selectable



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4635	LED40T8SW/96FR55/8CCT5 *FE*	24W 32W 40W	110W	3,300 4,200 5,500
▶ 5955	LED15T8/FR18/840G1	15W	32W	1,800
▶ 5956	LED15T8/FR18/850G1	15W	32W	1,800
▶ 4599	LED40T8/96FR55/840 *FE*	40W	110W	5,500
▶ 4600	LED40T8/96FR55/850 *FE*	40W	110W	5,500
4601	LED40T8/96FR55/R17D/840 *FE*	40W	110W	5,500
4602	LED40T8/96FR55/R17D/850 *FE*	40W	110W	5,500
• 5778	LED10T8/24FR10/840	10W	17W	1,109
• 5960	LED43T8/96FR55/R17D/840 *FE*	43W	110W	5,500

▶ DLC

• Limited Stock

FE - Freight Exception



23

LED Tube (T8)

Instant Fit



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 4558	LED10T8/24FR12/840/IFG1	10W	17W	1,250
▶ 4559	LED10T8/24FR12/850/IFG1	10W	17W	1,250
▶ 4551	LED12T8/36FR14/840/IF	12W	17W	1,450
▶ 4552	LED12T8/36FR14/850/IF	12W	17W	1,450
▶ 4582	LED13T8/FR18/840/IF	13W	32W	1,800
▶ 4583	LED13T8/FR18/850/IF	13W	32W	1,800
▶ 4584	LED16T8/FR22/840/IF	16W	32W	2,200
▶ 4585	LED16T8/FR22/850/IF	16W	32W	2,200
• 5988	LED10T8/24FR12/840/IF	10W	17W	1,156
• 5850	LED10T8/24FR11/835/IF	10W	17W	1,150
• 5852	LED10T8/24FR11/850/IF	10W	17W	1,150
• 5891	LED11T8/36FR14/840/IF	11W	25W	1,400
• 5892	LED11T8/36FR14/850/IF	11W	25W	1,400

▶ DLC

• Limited Stock

FE - Freight Exception



01

LED EMERGENCY DRIVER



SKU Code	Product Code	Description
7338	BAEM8L-60BC/347-A	8W CEC-Compliant LED Linear Emergency Driver 120-347V with 24" Conduit
7336	BAEM4-60BC/MV-A	4W CEC-Compliant LED Emergency Driver 120-277V
• 7335	BAEM12-60BC/MV-A	12W CEC-Compliant LED Em.D 120-277V w/ 24" Conduit
7334	BAEM15-48BC/MV-A	15W CEC-Compliant LED Emergency Driver 120-277V
7341	BAEM20-260BC/347-A	20W 90-260Vdc Output -CEC Compliant LED Em.D 120-347V
• P10408	BAEM-ACE-H10-1555CP	10W CEC-Compliant LED Em.D 120-277V with 24" Conduit
• P10415	BAEM-ACE-G4L-55-73	4W CEC-Compliant LED Linear Emergency Driver 120-277V

• Limited Stock

02

MINI & MICRO INVERTER SYSTEM



SKU Code	Product Code	Description
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V w/ 12" Conduit
7342	BAEM40-170BC/347-C	40W 120Vac Micro Inverter 120-347V with 12" Conduit
7344	BAEM40-HBR-170BC/347	40W 120-347V Em. Battery Back Up for Round High Bay
P10594	BAEM-RT-EMHBR	Remote Test Switch for 7344

03

STEP DOWN DRIVER
347-480V

SKU Code	Product Code	Description
P10429	BA-MTM00706227C	Compact 347-480V to 277V Step Down Driver for fixtures 70W and under
P10539	BA-MTM01256227C	Compact 347-480V to 277V Step Down Driver for fixtures 100W and under
P10138	BA-GETR480/277-250W	347-480V to 277V Step Down Driver for linear fixtures 250W and under
P10139	BA-GETR480-277-375W	347-480V to 277V Step Down Driver for linear fixtures 375W and under

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

04

SURGE PROTECTOR



SKU Code	Product Code	Description
P10389	SPD-L-10KV-277	10 KV Single Phase Surge Protector 120-277V (Wired in Parallel)
P10390	SPD-L-20KV-277	20 KV Single Phase Surge Protector 120-277V (Wired in Parallel)
P10391	SPD-L-20KV-480	20 KV Single Phase Surge Protector 347-480V (Wired in Parallel)
P10431	SPD-R-20KV-277	20KV Single Phase Surge Protector 120-277V (Wired in Series) Included LED Indicator
P10432	SPD-R-20KV-480	20KV Single Phase Surge Protector 347-480V (Wired in Series) Included LED Indicator

05

PORTABLE POWER CABLE

S0 Cord



SKU Code	Product Code	Description
P10231	QC-PWC-V2-IP68	IP68 Waterproof S0 Cord Connector 2 Pin
P10230	PWC-300V2-30FT	Black S0 Cord 30ft for 300V 2 Conductor
P10165	PWC-300V3-6FT	Black S0 Cord 6ft for 300V 3 Conductor
P10166	PWC-300V3-10FT	Black S0 Cord 10ft for 300V 3 Conductor
P10219	PWC-300V3-30FT	Black S0 Cord 30ft for 300V 3 Conductor
P10167	PWC-600V3-6FT	Black S0 Cord 6ft for 600V 3 Conductor
P10168	PWC-600V3-10FT	Black S0 Cord 10ft for 600V 3 Conductor
P10220	PWC-600V3-30FT	Black S0 Cord 30ft for 600V 3 Conductor
P10187	PWC-300V5-6FT	Black S0 Cord 6ft for 300V 5 Conductor
P10188	PWC-300V5-10FT	Black S0 Cord 10ft for 300V 5 Conductor
P10190	PWC-300V5-WH-10FT	White S0 Cord 10ft for 300V 5 Conductor
P10034	PWC-300V6-6FT	Black S0 Cord 6ft for 300V 6 Conductor

06

AIR CRAFT CABLE



SKU Code	Product Code	Description
P10147	MT-ACC-4FT	4ft Aircraft Cable (2pcs x 4' cable per pack)
P10144	MT-ACC-10FT	10ft Aircraft Cable (1pc x 10' cable per pack)



SKU Code	Product Code	Description
P10234	SEN-MC605V-D	Microwave Motion/PhotoCell Sensor 0-10V 100-277V
P10380	BA-BQE03-0250-12	3W 12VDC Power Supply with 120-347V input
P10319	SEN-HD06VCRH	Remote Programmable Microwave Motion Sensor 0-10V
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
P10590	SEN-HD027VCR	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage (Remote Programmer is required to program it)
P10323	SEN-HD06R	Remote Programmer for P10438 & P10590
P10540	SEN-ANT-11-WH	Remote Programmable Microwave Motion Sensor 0-10V Bi-level Internal 12V Low Voltage
P10581	SEN-BRI819P-LV	Remote Programmable PIR Motion Sensor 0-10V Bi-Level Control External 12-24V Low Voltage
P10371	SEN-BRI619	Remote Programmable PIR Motion/PhotoCell 0-10V 12-24V Low Voltage
P10387	SEN-BRI823-B-D	Remote Programmable PIR Motion Sensor 0-10V Bi-level Internal 120-277V
P10315	SEN-BRI-820-M8	Remote Programmable PIR Motion Sensor 0-10V Control Internal 120-480V
P10385	SEN-BRI819P-C-D	Remote Programmable PIR Motion Sensor 0-10V Bi-level Control External 120-347V
P10519	REC-Z10-BK	Z10 Receptacle Base with the black cap
P10518	REC-Z10-WH	Z10 Receptacle Base with the white cap
P10520	SEN-ANT-5-Z10-PC	Z10 Twist-Lock PhotoCell 12-24Vdc-White
P10521	SEN-ANT-5-Z10	Z10 Twist-Lock PIR Motion & PhotoCell Sensor, 0-10V, 12-24Vdc-White
P10522	SEN-ANT-6-Z10	Z10 Twist-Lock PIR Motion & PhotoCell Sensor, 0-10V, 12-24Vdc-White
P10316	SEN-BRI-RC100	Remote Programmer for P10540, P10371, P10387, P10315 and P10581, P10385, P10519, P10518, P10520, P10521, P10522
P10543	SEN-PHO-JL-412C	Small Button PhotoCell 120-277V
P10036	SEN-PHO-BT-MT/MV	Button PhotoCell 120-277V
K141030	REC3PLK/PHO	Twist-Lock PhotoCell & Receptacle Mount 120-277V 3 Prong
K141223	REC3PLK/PHO/480	Twist-Lock PhotoCell & Receptacle Mount 480V 3 Prong
P10030	SEN-PHO-LK-MT/MV	Twist-Lock PhotoCell 120-277V 3 Prong
P10223	SEN-PHO-LK-MT/MV/480	Twist-Lock PhotoCell 480V 3 Prong
P10053	SEN-PHO-LK-MT/SRT	Twist-Lock PhotoCell Shorting Cap 120-480V 3 Prong
P10141	REC3PLK	Twist-Lock PhotoCell Receptacle Mount 120-480V 3 Prong
P10142	REC7PLK	Twist-Lock PhotoCell Receptacle Mount 120-480V 7 Prong



SKU Code	Product Code	Description
P10484	CTL-MW-PSC-BL-I-FM-DC0-BLE-SR	Bluetooth controller w/ PIR Motion and Daylight Harvesting Sensor, 0-10V, 12-24Vdc
P10485	CTL-MW-PIR-BL01-F5-HBL	White sensor lens for P10484 - up to 40' height
P10519	REC-Z10-BK	Z10 Receptacle base with black cap
P10488	CTL-MW-PSC-ZKV-WCM-100-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc, Z10 Brown
P10517	CTL-MW-PSC-ZKV-WCM-110-BLE-SR	Bluetooth controller w/ Photocell, 0-10V, 12-24Vdc, Z10 Brown
P10487	CTL-MW-PSC-ZKV-I-110-BLE-SR	Bluetooth controller w/ PIR Motion and Photocell Sensor, 0-10V, 12-24Vdc, Z10 Brown
P10486	CTL-MW-PIR-BL01-F5-HBL-BN	Brown Trim PIR lens for P10484 or P10487 - up to 40' Height
P10490	CTL-MW-PSC-WCM-50-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc
P10491	CTL-MW-PSC-WCM-50/EXA-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc w/ Antenna connector
P10492	CTL-MW-SRM-24SW20C-GS-IP-BK	Outdoor antenna for P10491
P10515	CTL-MW-PSC-AC-PP-700C	120-277V to 12V power supply with 2A Relay (compatible up to 240W fixture)
P10516	CTL-MW-PSC-AC-PP-250	120-277V to 12V power supply with 10A Relay (compatible up to 1200W fixture)
P10493	CTL-MW-PSC-ND-I-CM-DC-BLE-SR	Bluetooth controller w/ Ceiling Mount Occupancy PIR sensor, 12-24Vdc
P10494	CTL-MW-PSC-DM-I-WS-100-BLE-SR	Bluetooth Wall Sensor & Dimmer Switch, 120-277V
P10495	CTL-MW-PSC-DM-WS-100-BLE-SR	Bluetooth Wall Dimmer Switch, 120-277V
P10496	CTL-MW-PSC-EO-WS-100-BLE	Bluetooth Self-powered Wall Dimmer Switch
P10497	CTL-MW-PSC-SGW-101-DC	Bluetooth Wi-Fi Gateway
P10498	CTL-MW-PSC-TKP-200-BLE-SR	Bluetooth Time keeper



SKU Code	Product Code	Description
• P10035	SEN-PHO-BT-MT/120	Button Photocell 120V
• P10091	SEN-UM05/ANT5	Motion/Photocell 0-10V Internal 100-277V
• P10148	PLT/HBR/MC31	Microwave Motion/Photocell Sensor 0-10V External 100-277V IP66
• P10042	SEN-LOD-500-SED	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 2X D Lens
• P10043	SEN-LOD-500-SPD	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 2X D Lens IP66
• P10044	SEN-LOD-500-SEC	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 3X C Lens
• P10045	SEN-LOD-500-SPC	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 3X C Lens IP66
• P10024	MT-SF/DB	Slip Fitter -Bronze for Traditional Shoebox
• P10064	MT-SF/WH	Slip Fitter -White for Traditional Shoebox
• P10026	MT-EA6/DB	6" Extruded Arm - Bronze for Traditional Shoebox
• P10066	MT-EA6/WH	6" Extruded Arm - White for Traditional Shoebox
• P10025	MT-SB/DB	Swivel Bracket - Bronze for Traditional Shoebox
• P10065	MT-SB/WH	Swivel Bracket - White for Traditional Shoebox
• P10080	MT-AA14/WH	14" Adjustable Arm - White for Traditional Shoebox
• P10081	MT-AA14/DB	14" Adjustable Arm - Bronze for Traditional Shoebox
• P10046	MT-4PA/DB	4" Round Pole Adaptor Bronze for Traditional Shoebox
• P10047	MT-5PA/DB	5" Round Pole Adaptor Bronze for Traditional Shoebox
• P10048	MT-6PA/DB	6" Round Pole Adaptor Bronze for Traditional Shoebox
• P10049	MT-4PA/WH	4" Round Pole Adaptor White for Traditional Shoebox
• P10050	MT-5PA/WH	5" Round Pole Adaptor White for Traditional Shoebox
• P10051	MT-6PA/WH	6" Round Pole Adaptor White for Traditional Shoebox
• P10020	MT-KNC-SWP/WH	3/4" NPT Knuckle Mount for SWP (BK/BZ/WH)
• P10021	MT-SF-SWP/WH	Slip Fitter Mount for SWP (WH)
• P10019	MT-SB-SWP/WH	Swivel Bracket for SWP (WH)
• P10057	RT-4RL-BK	Black 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10060	RT-6RL-BK	Black 5"/6" Recessed Trim Fits 7569, 7199
• P10058	RT-4RL-CH	Chrome 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10061	RT-6RL-CH	Chrome 5"/6" Recessed Trim Fits 7569, 7199
• P10082	RT-4RL-CH-WH	Chrome & White 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10083	RT-6RL-CH-WH	Chrome & White 5"/6" Recessed Trim Fits 7569, 7199
• P10062	RT-6RL-BZ	Bronze 5"/6" Recessed Trim Fits 7569, 7199
• P10084	RTS-4RL-WH	White Square 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10085	RTS-6RL-WH	White Square 5"/6" Recessed Trim Fits 7569, 7199

• Limited Stock

natural^{led}

Head Office & West Coast Distribution Center:
Fanlight Corporation Inc.
2000 S. Grove Ave, Bldg B,
Ontario, CA 91761
Tel: 909-930-6868

East Coast Distribution Center:
2511 Reliance Ave,
Apex, NC, 27539

Central Distribution Center:
1940 Diplomat Drive,
Farmers Branch, TX 75234

Canada
Unit 206
9710 187th Street,
Surrey, BC V4N 3N6