

natural^{led}®

2024
CATALOG

Edition I



LED LIGHTING
Fixtures & Lamps



Turning Light into Savings ▶▶▶

INDEX

04

Outdoor Fixtures

32

Indoor Fixtures

47

Industrial Fixtures

48

Lamps

59

Accessories

01

COMPACT TRADITIONAL WALL PACK

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
7529	FXTWX60SW/8CCT3/BZ-PHO	25W	3,125
		40W	5,000
		60W	7,538
7530	FXTWX100SW/8CCT3/BZ-PHO	60W	7,500
		80W	10,000
		100W	12,286

SKU	Product Code	Description
P10540	SEN-ANT-11-WH	Microwave Motion Sensor 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10540



02

FULL CUT-OFF WALL PACK

DLC Premium & IP65 Rated, Photocell Included



SKU Code	Product Code	Watts	Lumens
9319	LED-FXCWP40/40K/BZ	39W	5,288
9320	LED-FXCWP40/50K/BZ	39W	5,356
9208	LED-FXCWP60/40K/BZ	63W	8,347
9209	LED-FXCWP60/50K/BZ	63W	8,425
9443	LED-FXCWP80/40K/BZ	83W	11,048
9444	LED-FXCWP80/50K/BZ	83W	11,193
9445	LED-FXCWP120/40K/BZ	121W	16,525
9446	LED-FXCWP120/50K/BZ	121W	16,776
9554	FXCWP120SW/CCT3/BZ-PHO	80W	10,800
		100W	13,500
		120W	16,200

SKU	Product Code	Description
P10540	SEN-ANT-11-WH	Microwave Motion Sensor 0-10V
K540380	SEN-ANT-11-WH/BA12V	Microwave Motion Sensor Kit 0-10V
P10316	SEN-BRI-RC100	Remote Programmer for P10540



03

TWP WALL PACK

DLC Premium and IP65 Rated



SKU Code	Product Code	Watts	Lumens
9453	FXTWP28/40K/BZ-PHO	28W	4,200
9454	FXTWP28/50K/BZ-PHO	28W	4,200
9447	FXTWP38/40K/BZ-PHO	38W	5,700
9448	FXTWP38/50K/BZ-PHO	38W	5,700
9449	FXTWP60/40K/BZ-PHO	60W	9,000
9450	FXTWP60/50K/BZ-PHO	60W	9,000
9451	FXTWP80/40K/BZ-PHO	80W	12,000
9452	FXTWP80/50K/BZ-PHO	80W	12,000
9542	FXTWP80/50K/WH-PHO	80W	12,000
9455	FXTWP60SW/CCT3/BZ-PHO	28W	4,200
		38W	5,700
		60W	9,134
9456	FXTWP100SW/CCT3/BZ-PHO	60W	9,000
		80W	11,600
		100W	14,500
9534	FXTWP38/40K/BZ/347-PHO	38W	5,700
9535	FXTWP38/50K/BZ/347-PHO	38W	5,700
9536	FXTWP60/40K/BZ/347-PHO	60W	9,000
9537	FXTWP60/50K/BZ/347-PHO	60W	9,000
9532	FXTWP60SW/CCT3/BZ/347-PHO	28W	4,200
		38W	5,700
		60W	9,134
9533	FXTWP100SW/CCT3/BZ/347-PHO	60W	9,000
		80W	11,600
		100W	14,500

SKU	Product Code	Description
P10004	WG-TWP-MEDIUM	Wireguard for Medium
P10402	CVR-TWP-SMALL/BZ	Cut off Shield-Small 28W
P10403	CVR-TWP-MEDIUM/BZ	Cut off Shield-Medium 38W-100W
P10002	LENS-TWP-SMALL	Borosilicate Glass Lens-Small 28W
P10000	LENS-TWP-MEDIUM	Borosilicate Glass Lens-Medium 38-100W
P10003	LENS-TWP-PC-MEDIUM	Plastic Lens-Medium 38-100W



04

ADJUSTABLE SLIM WALL PACK

Selectable Wattage & 3CCT (30/40/50K) , Photocell Included



SKU Code	Product Code	Watts	Lumens
9589	FXSWP45SW/8CCT3/BZ/347-PHO	15W	1,800
		28W	3,360
		45W	5,400
9590	FXSWP45SW/8CCT3/BK/347-PHO	15W	1,800
		28W	3,360
		45W	5,400

SKU	Product Code	Description
P10254	MT-KNC-SWP/BZ*	3/4" NPT Knuckle Mount for SWP - Bronze
P10006	MT-KNC-SWP/BK	3/4" NPT Knuckle Mount for SWP - Black
P10255	MT-SF-SWP/BZ*	Slip Fitter Mount for SWP - Bronze
P10007	MT-SF-SWP/BK	Slip Fitter Mount for SWP - Black
P10253	MT-SB-SWP/BZ*	Swivel Bracket for SWP - Bronze
P10005	MT-SB-SWP/BK	Swivel Bracket for SWP - Black

*Made to order



05

ADJUSTABLE SLIM WALL PACK

DLC Premium/Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9302	LED-FXSWP15/850/DB	15W	2,062
• 9304	LED-FXSWP28/850/DB	28W	3,513
• 9308	LED-FXSWP15/850/BK	15W	2,062
• 9309	LED-FXSWP28/840/BK	28W	3,418
• 9310	LED-FXSWP28/850/BK	28W	3,513
• 9312	LED-FXSWP45/850/BK	45W	5,680

• DLC Premium • Limited Stock


SKU	Product Code	Description
P10075	MT-KNC-SWP/DB	3/4" NPT Knuckle Mount for SWP - Bronze
P10076	MT-SF-SWP/DB	Slip Fitter Mount for SWP - Bronze
P10074	MT-SB-SWP/DB	Swivel Bracket for SWP - Bronze
P10006	MT-KNC-SWP/BK	3/4" NPT Knuckle Mount for SWP - Black
P10007	MT-SF-SWP/BK	Slip Fitter Mount for SWP - Black
P10005	MT-SB-SWP/BK	Swivel Bracket for SWP - Black



06

10" Round Canopy

Selectable Wattage & 3CCT (30/40/50K) , 120-277V




SKU Code	Product Code	Watts	Lumens
7670	FX10RCM29SW/9CCT3/DB	14W	1,610
		22W	2,530
		29W	3,335

SKU	Product Code	Description
P10543	SEN-PHO-JL-412C	Small Button Photocell 120-277V

07

SLIM CANOPY 10"x10"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9432	FX10SCM28/840/BK-SEN	28W	3,640
• 9433	FX10SCM28/850/BK-SEN	28W	3,640
• 9434	FX10SCM42/840/BK-SEN	42W	5,517
• 9435	FX10SCM42/850/BK-SEN	42W	5,638
• 9436	FX10SCM59/840/BK-SEN	59W	7,695
• 9437	FX10SCM59/850/BK-SEN	59W	7,845
9414	FX10SCM28/840/BK	28W	3,640
9415	FX10SCM28/850/BK	28W	3,640
9418	FX10SCM42/840/BK	42W	5,517
9419	FX10SCM42/850/BK	42W	5,638
9422	FX10SCM59/840/BK	59W	7,695
9423	FX10SCM59/850/BK	59W	7,845
9416	FX10SCM28/840/WH	28W	3,640
9417	FX10SCM28/850/WH	28W	3,640
9420	FX10SCM42/840/WH	42W	5,517
9421	FX10SCM42/850/WH	42W	5,638
9424	FX10SCM59/840/WH	59W	7,695
9425	FX10SCM59/850/WH	59W	7,845

• Motion Sensor Included

SKU	Product Code	Description
P10126	LENS-SCM/DR9X9	Drop Lens
P10125	LENS-SCM/FR9X9	Frosted Lens
P10195	PLT-SCM/14X14/WH	Beauty Plate 14"x14"
P10196	PLT-SCM/24X24/WH	Beauty Plate 24"x24"

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

LED // FIXTURE // OUTDOOR

08

SLIM CANOPY LARGE 13"X13"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9245	LED-FXSCM60/50K/BK	59W	7,910
9248	LED-FXSCM85/40K/BK	82W	10,062
9249	LED-FXSCM85/50K/BK	82W	10,259
9211	LED-FXSCM100/40K/BK	100W	12,795
9212	LED-FXSCM100/50K/BK	100W	13,022

SKU	Product Code	Description
P10195	PLT-SCM/14X14/WH	Beauty Plate 14" x 14"
P10196	PLT-SCM/24X24/WH	Beauty Plate 24" x 24"

*Made to order



09

BULLET FLOODLIGHT

Energy Star & IP65 Rated, 1/2" Knuckle Mount




SKU Code	Product Code	Watts	Lumens
9291	LED-FXBFS10/40/830/BZ-KNC	10W	900
9295	LED-FXBFS10/40/840/BZ-KNC	10W	900
9292	LED-FXBFS10/40/850/BZ-KNC	10W	900
9293	LED-FXBFS20/40/830/BZ-KNC	21W	1,800
7045	LED-FXBFS20/40/840/BZ-KNC	21W	1,800
9294	LED-FXBFS20/40/850/BZ-KNC	21W	1,800



10

FLOODLIGHT

Selectable Wattage & 3CCT (30/40/50K), Photocell Included



SKU Code	Product Code	Watts	Lumens
9652	FXFDL15/77/CCT3/BZ-YK	15W	1,950
9653	FXFDL30/77/CCT3/BZ-YK	30W	3,900
9654	FXFDL60SW/77/CCT3/BZ-YK	40W	5,400
		50W	6,750
		60W	7,800

SKU	Product Code	Description
P10012	MT-FDL/KNC/BZ	Knuckle Mount



11

FLOODLIGHT HIGH WATTAGE

Selectable Wattages



SKU Code	Product Code	Watts	Lumens
9569	FXFDL150SW/66/40K/BZ-KNC	100W	13,500
		130W	16,900
		150W	20,890
9570	FXFDL150SW/66/50K/BZ-KNC	100W	13,500
		130W	16,900
		150W	21,028
9567	FXFDL150SW/66/40K/BZ-YK	100W	13,500
		130W	16,900
		150W	20,890
9568	FXFDL150SW/66/50K/BZ-YK	100W	13,500
		130W	16,900
		150W	21,028

SKU	Product Code	Description
P10414	MT-FDL/SF/BZ	Slip Fitter for #9567 & #9568



12

POST TOP

Selectable Wattages & 3CCT (30/40/50K), Photocell Included



SKU Code	Product Code	Watts	Lumens
9571	FX15PST34SW/8CCT3/BK	20W	3,004
		28W	4,200
		34W	5,262
9572	FX15PST100SW/8CCT3/BK	60W	8,104
		80W	10,400
		100W	13,361



13

POST TOP

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9297	LED-FX16PST35/840/BK	34W	4,304
• 9298	LED-FX16PST35/850/BK	34W	4,374
• 9299	LED-FX16PST73/840/BK	74W	9,210
• 9300	LED-FX16PST73/850/BK	74W	9,361


• Limited Stock



14

PATHWAY

Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9642	FX10PWY18SW/42/8CCT3/BK/T5/347 *FE*	10W	1,474
		15W	1,800
		18W	2,305
9225	FX10PWY18SW/42/8CCT3/BZ/T5/347 *FE*	10W	1,474
		15W	1,800
		18W	2,305


SKU	Product Code	Description
P10519	REC-Z10-BK	Z10 receptacle base with black cap
P10520	SEN-ANT-5-Z10-PC	Z10 Twist-Lock Photocell 12-24Vdc White
P10522	SEN-ANT-6-Z10	Z10 Twist-Lock PIR Motion & Photocell Sensor
P10488	CTL-MW-PSC-ZKW-WCM-100-BLE-SR	Bluetooth Controller, 0-10V Z10 Brown
P10316	SEN-BRI-RC100	Remote Programmer



15

BOLLARD 5.5"

Selectable Wattages & 3CCT (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9643	FX5.5BLD18SW/41FCN/8CCT3/BK *FE*	10W	1,228
		15W	1,875
		18W	2,251
9644	FX5.5BLD18SW/41FLV/8CCT3/BK *FE*	10W	1,200
		15W	1,800
		18W	2,160
9645	FX5.5BLD18SW/42RCN/8CCT3/BK *FE*	10W	1,228
		15W	1,875
		18W	2,251
9646	FX5.5BLD18SW/42RLV/8CCT3/BK *FE*	10W	1,200
		15W	1,800
		18W	2,160

SKU	Product Code	Description
P10068	PLT-5.5BLD/T3/BK	Type 3 Lens Cover




Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

LED // FIXTURE // OUTDOOR 11

BOLLARD

Selectable Wattages. IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9326	LED-FX8BLD18/42FCN/840/BK *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9327	LED-FX8BLD18/42FCN/850/BK *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9328	LED-FX8BLD18/42FLV/840/BK *FE*	9/13/18W	750 / 1,100 / 1,566
• 9329	LED-FX8BLD18/42FLV/850/BK *FE*	9/13/18W	750 / 1,100 / 1,566
• 9332	LED-FX8BLD18/42FFR/840/BK *FE*	9/13/18W	800 / 1,200 / 1,622
• 9333	LED-FX8BLD18/42FFR/850/BK *FE*	9/13/18W	800 / 1,200 / 1,622
• 9330	LED-FX8BLD18/42FT3/840/BK *FE*	9/13/18W	700 / 1,000 / 1,464
• 9331	LED-FX8BLD18/42FT3/850/BK *FE*	9/13/18W	700 / 1,000 / 1,464
• 9334	LED-FX8BLD18/42FCN/840/BZ *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9335	LED-FX8BLD18/42FCN/850/BZ *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9336	LED-FX8BLD18/42FLV/840/BZ *FE*	9/13/18W	750 / 1,100 / 1,566
• 9337	LED-FX8BLD18/42FLV/850/BZ *FE*	9/13/18W	750 / 1,100 / 1,566
• 9340	LED-FX8BLD18/42FFR/840/BZ* *FE*	9/13/18W	800 / 1,200 / 1,622
• 9341	LED-FX8BLD18/42FFR/850/BZ* *FE*	9/13/18W	800 / 1,200 / 1,622
• 9338	LED-FX8BLD18/42FT3/840/BZ* *FE*	9/13/18W	700 / 1,000 / 1,464
• 9339	LED-FX8BLD18/42FT3/850/BZ* *FE*	9/13/18W	700 / 1,000 / 1,464
• 9374	LED-FX8BLD18/42RCN/840/BK *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9375	LED-FX8BLD18/42RCN/850/BK *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9376	LED-FX8BLD18/42RLV/840/BK *FE*	9/13/18W	750 / 1,100 / 1,566
• 9377	LED-FX8BLD18/42RLV/850/BK *FE*	9/13/18W	750 / 1,100 / 1,566
• 9380	LED-FX8BLD18/42RFR/840/BK *FE*	9/13/18W	750 / 1,100 / 1,566
• 9381	LED-FX8BLD18/42RFR/850/BK* *FE*	9/13/18W	750 / 1,100 / 1,566
• 9378	LED-FX8BLD18/42RT3/840/BK *FE*	9/13/18W	700 / 1,000 / 1,464
• 9379	LED-FX8BLD18/42RT3/850/BK* *FE*	9/13/18W	700 / 1,000 / 1,464
• 9382	LED-FX8BLD18/42RCN/840/BZ *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9383	LED-FX8BLD18/42RCN/850/BZ *FE*	9/13/18W	1,000 / 1,500 / 2,000
• 9384	LED-FX8BLD18/42RLV/840/BZ *FE*	9/13/18W	750 / 1,100 / 1,566
• 9385	LED-FX8BLD18/42RLV/850/BZ* *FE*	9/13/18W	750 / 1,100 / 1,566
• 9388	LED-FX8BLD18/42RFR/840/BZ* *FE*	9/13/18W	750 / 1,100 / 1,566
• 9389	LED-FX8BLD18/42RFR/850/BZ* *FE*	9/13/18W	750 / 1,100 / 1,566
• 9386	LED-FX8BLD18/42RT3/840/BZ* *FE*	9/13/18W	700 / 1,000 / 1,464
• 9387	LED-FX8BLD18/42RT3/850/BZ* *FE*	9/13/18W	700 / 1,000 / 1,464

• DLC

- Energy Star
- * Made to order

FE - Freight Exception



SPORTS LIGHT

DLC Premium & IP66 Rated



16-inch diameter

SKU Code	Product Code	Watts	Lumens
9474	FX16SPL400/44/850/BK	415W	61,389
9395	FX16SPL400/33/840/BK/480*	410W	61,173
9323	FX16SPL400/33/850/BK/480*	410W	61,173
9396	FX16SPL400/44/840/BK/480*	412W	60,039
9390	FX16SPL400/44/850/BK/480	412W	58,826
9397	FX16SPL400/55/840/BK/480*	404W	60,751
9391	FX16SPL400/55/850/BK/480*	404W	58,826
9475	FX16SPL650/44/850/BK	655W	97,099
9399	FX16SPL650/33/840/BK/480*	655W	95,205
9324	FX16SPL650/33/850/BK/480*	655W	95,205
9400	FX16SPL650/44/840/BK/480	654W	95,020
9392	FX16SPL650/44/850/BK/480	654W	95,683
9401	FX16SPL650/55/840/BK/480*	657W	95,720
9393	FX16SPL650/55/850/BK/480*	657W	95,720

SKU	Product Code	Description
P10230	PWC-300V2-30FT	Black SO Cord 30ft for 300V 2 Conductor
P10305	LASER-SPL/GRN	Laser Pointer for 16" SPL
P10307	MT-SF-16SPL/BK	Slip Fitter Mount for 16" SPL
P10296	LENS-SPL16-NEMA33G1	Type 3 Lens
P10297	LENS-SPL16-NEMA44G1	Type 4 Lens
P10298	LENS-SPL16-NEMA55G1	Type 5 Lens

* Made to order



SKU Code	Product Code	Watts	Lumens
• 9394	LED-FX16SPL400/22/840/BK/480	400W	56,278
• 9322	LED-FX16SPL400/22/850/BK/480	400W	56,278
• -	LED-FX16SPL400/33/840/BK/480*	400W	56,278
• -	LED-FX16SPL400/44/840/BK/480*	400W	56,965
• -	LED-FX16SPL400/55/840/BK/480	400W	58,145
• 9398	LED-FX16SPL650/22/840/BK/480	650W	83,875
• 9325	LED-FX16SPL650/22/850/BK/480	650W	85,962
• -	LED-FX16SPL650/33/840/BK/480*	650W	93,251
• -	LED-FX16SPL650/44/840/BK/480	650W	93,251
• -	LED-FX16SPL650/55/840/BK/480*	650W	93,251

SKU	Product Code	Description
-	LENS-SPL16-NEMA33	Type 3 Lens for 16" SPL
-	LENS-SPL16-NEMA44	Type 4 Lens for 16" SPL
-	LENS-SPL16-NEMA55	Type 5 Lens for 16" SPL

• Limited Stock

* Made to order



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

18

SPORTS LIGHT

DLC Premium & IP66 Rated (120-277V, 277-480V)



15-inch diameter



SKU Code	Product Code	Watts	Lumens
9597	FX15SPL400/44/50K/BK	406W	53,853
9598	FX15SPL400/55/50K/BK	406W	53,853
9588	FX15SPL500SW/44/50K/BK/480	300W	45,000
		400W	60,000
		500W	75,000

SKU	Product Code	Description
K141030	REC3PLK/PHO	Twist-Lock Photocell and receptacle 120-277V 3 Prong
K141223	REC3PLK/PHO/480	Twist-Lock Photocell and receptacle 480V 3 Prong
P10306	MT-SF-15SPL/BK	Slip Fitter for 15" SPL
P10322	LASER-SPL/GN-A	Laser Pointer for 15" SPL
P10340	LENS-SPL15-NEMA55	Type 5 Lens for 15" SPL



19

TENNIS COURT AREA LIGHT

DLC Premium & IP66 Rated



SKU Code	Product Code	Watts	Lumens
9594	FXSAL400/840/BK/T4	420W	63,749
9593	FXSAL400/840/BK/TT	420W	63,879


SKU	Product Code	Description
P10472	MT-SAL/YK16/BK	16" Yoke Mount
P10468	MT-AL/PM6/BK	6" Pole Mount
P10470	MT-AL/SF/BK	Slip Fitter Mount
P10506	MT-AL/RSF/1.5x3.5/BK	Rectangular Slip Fitter Mount
P10526	MT-TAS/5RT-5ft/BK*	5' Single Tennis Arm Straight Arm Black
P10527	MT-TAD70/5RT-5ft/BK*	70° Double Tennis Arms Black
P10528	MT-TAD90/5RT-5ft/BK*	90° Double Tennis Arms Black
P10529	MT-TAD180/5RT-5ft/BK*	180° Double Tennis Arms Black
P10530	MT-TAQ90/5RT-5ft/BK*	90° Quad Tennis Arms Black
P10509	MT-4SFA/BK	Slip Fitter Adaptor for 4" Single Davit Arm
P10510	MT-3.5RTDAV4/38in/BK*	4" Diameter Davit Arm (38") for 3.5" Pole top
P10511	MT-4RTDAV3.5-2180/BK*	Twin 4" Diameter Davit Arm Adaptor for 4" Pole top
P10512	MT-4RTDAV3.5-490/BK*	Quad 4" Diameter Davit Arm Adapter for 4" Pole Top
P10450	LENS-SAL-L-TT	Tennis Type Lens (4 pcs per fixture)
P10451	LENS-SAL-L-T4	Type 4 Lens (4 pcs per fixture)

* Made to order



COMPACT AREA LIGHT

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9492	FXCAL100/840/BZ/3S	100W	14,000
9493	FXCAL100/850/BZ/3S	100W	14,100
9494	FXCAL150/840/BZ/3S	150W	21,000
9495	FXCAL150/850/BZ/3S	150W	21,150
9496	FXCAL240/840/BZ/3S	240W	33,600
9497	FXCAL240/850/BZ/3S	240W	33,840
9498	FXCAL300/840/BZ/3S	300W	42,000
9499	FXCAL300/850/BZ/3S	300W	42,300
9528	FXCAL150/840/BZ/3S/480	150W	21,000
9529	FXCAL150/850/BZ/3S/480	150W	21,000
9518	FXCAL300/840/BZ/3S/480	300W	42,000
9519	FXCAL300/850/BZ/3S/480	300W	42,000
9512	FXCAL100/840/BZ/3S/347	100W	14,000
9513	FXCAL100/850/BZ/3S/347	100W	14,000
9514	FXCAL150/840/BZ/3S/347	150W	21,000
9515	FXCAL150/850/BZ/3S/347	150W	21,000
9516	FXCAL300/840/BZ/3S/347	300W	42,000
9517	FXCAL300/850/BZ/3S/347	300W	42,000



COMPACT AREA LIGHT

Accessories

SKU	Product Code	Description
P10365	MT-CAL/PM8/BZ	8" Pole Mount Arm
P10366	MT-CAL/SF/BZ	Slip Fitter Mount
P10367	MT-CAL/YK13/BZ	13" Yoke Mount
K473478	MT-AL/WM/BZ	Wall Mount Kit (replaces K379200)
P10405	GSFB-CAL/BZ	Glare Shield (2 pcs for 240/300W)
P10398	LENS-CAL-IV	Type 4 Lens (2 pcs for 240/300W)
P10399	LENS-CAL-V	Type 5 Lens (2 pcs for 240/300W)
P10387	SEN-BRI823-B-D	PIR Motion/Photocell 0-10V Bi-Level Control 120-277V
P10371	SEN-BRI619	PIR Motion/Photocell 0-10V Bi-Level Control internal 12V for 347V/480V
P10316	SEN-BRI-RC100	Remote Programmer for P10371, P10387

Pole Brackets

SKU	Product Code	Description
P10354	MT-4STC/BK	Top Cap for 4" Square Pole - Black
P10348	MT-3RTV2.5-1/BZ	3" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10349	MT-4RTV2.5-1/BZ	4" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10350	MT-5RTV2.5-1/BZ	5" Round Pole Mount Tenon Adapter w/ 2-3/8" O.D. Tenon
P10351	MT-3STV2.5-1/BZ	3" Square Pole Mount adapter with 2-3/8" O.D. Tenon
P10352	MT-4STV2.5-1/BZ	4" Square Pole Mount adapter with 2-3/8" O.D. Tenon
P10353	MT-5STV2.5-1/BZ	5" Square Pole Mount adapter with 2-3/8" O.D. TenonWall
P10363	MT-4WM2.5-1/BZ	Mount Bracket with 2-3/8" O.D. Tenon
P10364	MT-4WM2.5-190/BZ	90° Angled Wall Mount with 2-3/8" Tenon
P10360	MT-4STV2.5-2180/BZ *FE*	4" Square Pole Mount w/Double 2-3/8" O.D. Tenon-180°
P10361	MT-4STV2.5-3180/BZ *FE*	4" Square Pole Mount w/Triple 2-3/8" O.D. Tenon-180°
P10362	MT-4STV2.5-490/BZ *FE*	4" Square Pole Mount w/Quad 2-3/8" O.D. Tenon-90°
P10356	MT-2.5RTBV2.5-2180/BZ *FE*	Bullhorn with Double 2-3/8" O.D. Tenon-180°
P10357	MT-2.5RTBV2.5-3180/BZ *FE*	Bullhorn with Triple 2-3/8" O.D. Tenon-180°
P10358	MT-2.5RTBV2.5-3120/BZ *FE*	Bullhorn with Triple 2-3/8" O.D. Tenon-120°
P10359	MT-2.5RTBH2.5-290/BZ *FE*	Spoke Mount Bracket w/Double 2-3/8" O.D. Tenon-90°

FE - Freight Exception

21

SLIM AREA LIGHT

Selectable Wattages, 3CCT (30/40/50K) & Single CCT



SKU Code	Product Code	Watts	Lumens
9605	FXSAL75SW/8CCT3/BZ/T3	25W	3,500
		50W	7,000
		75W	10,555
7647	FXSAL150SW/830/BZ/T3*	90W	12,649
		120W	16,800
		150W	21,163
9639	FXSAL150SW/840/BZ/T3*	90W	12,649
		120W	16,800
		150W	21,163
9640	FXSAL150SW/850/BZ/T3*	90W	12,649
		120W	16,800
		150W	21,118
7648	FXSAL240SW/830/BZ/T3*	160W	22,400
		190W	26,600
		240W	34,829
9610	FXSAL240SW/840/BZ/T3	160W	22,400
		190W	26,600
		240W	34,829
9611	FXSAL240SW/850/BZ/T3	160W	22,500
		190W	30,000
		240W	34,680
9647	FXSAL75SW/8CCT3/BZ/T3/480*	25W	3,500
		50W	7,000
		75W	11,224
7649	FXSAL150SW/830/BZ/T3/480*	90W	12,888
		120W	16,800
		150W	21,535
7650	FXSAL150SW/840/BZ/T3/480*	90W	12,888
		120W	16,800
		150W	21,417
9641	FXSAL150SW/850/BZ/T3/480*	90W	12,914
		120W	16,800
		150W	21,535
7651	FXSAL240SW/830/BZ/T3/480*	160W	22,400
		190W	26,600
		240W	34,829
9618	FXSAL240SW/840/BZ/T3/480*	160W	22,400
		190W	26,600
		240W	34,320
9619	FXSAL240SW/850/BZ/T3/480*	160W	22,500
		190W	30,000
		240W	34,307

* Made to order

21

SLIM AREA LIGHT

Selectable Wattages, 3CCT (30/40/50K) & Single CCT



SKU Code	Product Code	Watts	Lumens
9622	FXSAL75SW/8CCT3/WH/T3	25W	3,500
		50W	7,000
		75W	10,555
7652	FXSAL150SW/830/WH/T3*	90W	12,649
		120W	16,800
		150W	21,163
7653	FXSAL150SW/840/WH/T3*	90W	12,649
		120W	16,800
		150W	21,163
7654	FXSAL150SW/850/WH/T3*	90W	12,649
		120W	16,800
		150W	21,118
7655	FXSAL240SW/830/WH/T3*	160W	22,400
		190W	26,600
		240W	34,829
9627	FXSAL240SW/840/WH/T3	160W	22,400
		190W	26,600
		240W	34,829
9628	FXSAL240SW/850/WH/T3	160W	22,500
		190W	30,000
		240W	34,680
7656	FXSAL75SW/8CCT3/WH/T3/480*	25W	3,500
		50W	7,000
		75W	11,224
7657	FXSAL150SW/830/WH/T3/480*	90W	12,888
		120W	16,800
		150W	21,535
7658	FXSAL150SW/840/WH/T3/480*	90W	12,888
		120W	16,800
		150W	21,417
7659	FXSAL150SW/850/WH/T3/480*	90W	12,914
		120W	16,800
		150W	21,535
7660	FXSAL240SW/830/WH/T3/480*	160W	22,400
		190W	26,600
		240W	34,829
9635	FXSAL240SW/840/WH/T3/480*	160W	22,400
		190W	26,600
		240W	34,320
9636	FXSAL240SW/850/WH/T3/480*	160W	22,500
		190W	30,000
		240W	34,307

* Made to order

21

SLIM AREA LIGHT

Selectable Wattages, 3CCT (30/40/50K) & Single CCT




SKU Code	Product Code	Watts	Lumens
9649	FXSAL75SW/8CCT3/BK/T3	25W	3,500
		50W	7,000
		75W	10,555
7661	FXSAL150SW/830/BK/T3*	90W	12,649
		120W	16,800
		150W	21,163
7662	FXSAL150SW/840/BK/T3*	90W	12,649
		120W	16,800
		150W	21,163
7663	FXSAL150SW/850/BK/T3*	90W	12,649
		120W	16,800
		150W	21,118
7664	FXSAL240SW/830/BK/T3*	160W	22,400
		190W	26,600
		240W	34,829
7665	FXSAL240SW/840/BK/T3	160W	22,400
		190W	26,600
		240W	34,829
7666	FXSAL240SW/850/BK/T3	160W	22,500
		190W	30,000
		240W	34,680

* Made to order

21

SLIM AREA LIGHT

Single Wattages, 3CCT (30/40/50K) & Single CCT



SKU Code	Product Code	Watts	Lumens
9657	FXSAL25/8CCT3/BZ/T3*	25W	3,500
9658	FXSAL42/8CCT3/BZ/T3*	42W	6,090
9659	FXSAL50/8CCT3/BZ/T3*	50W	7,000
9660	FXSAL100/830/BZ/T3*	100W	14,633
9606	FXSAL100/840/BZ/T3	100W	14,633
9607	FXSAL100/850/BZ/T3	100W	14,638
9648	FXSAL150/830/BZ/T3*	150W	21,118
9608	FXSAL150/840/BZ/T3	150W	21,163
9609	FXSAL150/850/BZ/T3	150W	21,118
9661	FXSAL320/830/BZ/T3*	320W	46,227
9612	FXSAL320/840/BZ/T3	320W	46,227
9613	FXSAL320/850/BZ/T3	320W	46,454
9650	• FXSAL100/850/BK/T3	100W	14,638
9651	• FXSAL150/850/BK/T3	150W	21,118


• Black in color

* Made to order

21

SLIM AREA LIGHT

Single Wattages, 3CCT (30/40/50K) & Single CCT



SKU Code	Product Code	Watts	Lumens
9662	FXSAL25/8CCT3/BZ/T3/480*	25W	3,500
9663	FXSAL42/8CCT3/BZ/T3/480*	42W	6,090
9664	FXSAL50/8CCT3/BZ/T3/480*	50W	7,000
9614	FXSAL100/840/BZ/T3/480*	103W	14,710
9615	FXSAL100/850/BZ/T3/480*	102W	14,679
9616	FXSAL150/840/BZ/T3/480*	150W	21,417
9617	FXSAL150/850/BZ/T3/480*	150W	21,535
9620	FXSAL320/840/BZ/T3/480*	325W	45,830
9621	FXSAL320/850/BZ/T3/480*	325W	45,963
9623	FXSAL100/840/WH/T3	100W	14,633
9624	FXSAL100/850/WH/T3	100W	14,638
9625	FXSAL150/840/WH/T3	150W	21,163
9626	FXSAL150/850/WH/T3	150W	21,118
9629	FXSAL320/840/WH/T3	320W	46,227
9630	FXSAL320/850/WH/T3	320W	46,454

* Made to order

21

SLIM AREA LIGHT

Accessories



SKU	Product Code	Description
P10453	MT-AL/PM6/BZ	6" Pole Mount - Bronze
P10458	MT-AL/PM6/WH	6" Pole Mount - White
P10468	MT-AL/PM6/BK	6" Pole Mount - Black
P10455	MT-AL/SF/BZ	Slip Fitter - Bronze
P10460	MT-AL/SF/WH	Slip Fitter - White
P10470	MT-AL/SF/BK	Slip Fitter - Black
P10473	MT-AL/WM/BZ	Wall Mount - Bronze
P10474	MT-AL/WM/WH	Wall Mount - White
P10475	MT-AL/WM/BK	Wall Mount - Black
P10456	MT-SAL/YK12/BZ	12" Yoke Mount - Bronze
P10461	MT-SAL/YK12/WH	12" Yoke Mount - White
P10471	MT-SAL/YK12/BK	12" Yoke Mount - Black
P10481	GSFB-SAL/BZ	Glare Shield - Bronze (240-320W requires 2pcs)
P10482	GSFB-SAL/WH	Glare Shield - White (240-320W requires 2pcs)
P10483	GSFB-SAL/BK	Glare Shield - Black (240-320W requires 2pcs)
P10467	LENS-SAL-T4-G1	Type 4 Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10499	LENS-SAL-T5-G1	Type 5 Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10500	LENS-SAL-T3-BLC-G1	Type 3 Back Light Cut Lens (75-150W requires 2pcs, 240-320W requires 4pcs)
P10371	SEN-BRI619	PIR Motion/Photocell 0-10V Bi-Level Control Internal 12V for 120-480V
P10316	SEN-BRI-RC100	Remote Programmer for P10371

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

SLIM AREA LIGHT

DLC Premium & IP65 Rated

10 Year Extended
Warranty Available

29W-100W

SKU Code	Product Code	Watts	Lumens
▶ 7616	LED-FXSAL29/40K/DB/3S*	29W	3,714
▶ 7617	LED-FXSAL29/50K/DB/3S*	29W	3,729
▶ 7620	LED-FXSAL50/40K/DB/3S*	50W	6,108
▶ 7621	LED-FXSAL50/50K/DB/3S*	50W	6,161
7752	LED-FXSAL75/30K/DB/3S*	75W	8,738
▶ 7624	LED-FXSAL75/40K/DB/3S*	75W	8,885
▶ 7625	LED-FXSAL75/50K/DB/3S*	75W	9,012
7754	LED-FXSAL100/30K/DB/3S*	100W	11,548
▶ 7628	LED-FXSAL100/40K/DB/3S*	100W	11,874
▶ 7629	LED-FXSAL100/50K/DB/3S*	100W	12,181
▶ 7618	LED-FXSAL29/40K/WH/3S*	29W	3,714
▶ 7619	LED-FXSAL29/50K/WH/3S*	29W	3,729
▶ 7622	LED-FXSAL50/40K/WH/3S*	50W	6,108
▶ 7623	LED-FXSAL50/50K/WH/3S*	50W	6,161
7753	LED-FXSAL75/30K/WH/3S*	75W	8,738
▶ 7626	LED-FXSAL75/40K/WH/3S*	75W	8,885
▶ 7627	LED-FXSAL75/50K/WH/3S*	75W	9,012
7755	LED-FXSAL100/30K/WH/3S*	100W	11,548
▶ 7630	LED-FXSAL100/40K/WH/3S*	100W	11,874
▶ 7631	LED-FXSAL100/50K/WH/3S*	100W	12,181

▶ DLC Premium

* Made to order



SLIM AREA LIGHT

DLC Premium & IP65 Rated

10 Year Extended
Warranty Available

150W-360W

SKU Code	Product Code	Watts	Lumens
7700	LED-FXSAL150/30K/DB/3S*	150W	20,211
▶ 7769	LED-FXSAL150/40K/DB/3S*	150W	20,211
▶ 7770	LED-FXSAL150/50K/DB/3S*	150W	20,604
7746	LED-FXSAL180/30K/DB/3S*	180W	22,191
▶ 7633	LED-FXSAL180/50K/DB/3S*	180W	22,130
▶ 7725	LED-FXSAL180/50K/DB/3S/480*	180W	21,870
7748	LED-FXSAL240/30K/DB/3S*	240W	29,794
▶ 7636	LED-FXSAL240/40K/DB/3S*	240W	28,828
▶ 7637	LED-FXSAL240/50K/DB/3S*	240W	29,306
▶ 7728	LED-FXSAL240/40K/DB/3S/480*	240W	29,508
▶ 7729	LED-FXSAL240/50K/DB/3S/480*	240W	30,015
7750	LED-FXSAL360/30K/DB/3S*	360W	44,796
▶ 7640	LED-FXSAL360/40K/DB/3S*	360W	43,115
▶ 7641	LED-FXSAL360/50K/DB/3S*	360W	43,907
▶ 7732	LED-FXSAL360/40K/DB/3S/480*	360W	43,229
▶ 7733	LED-FXSAL360/50K/DB/3S/480*	360W	43,980
7702	LED-FXSAL150/30K/WH/3S*	150W	20,604
9232	LED-FXSAL150/50K/WH/3S*	150W	20,604
7747	LED-FXSAL180/30K/WH/3S*	180W	22,191
▶ 7634	LED-FXSAL180/40K/WH/3S*	180W	21,787
▶ 7635	LED-FXSAL180/50K/WH/3S*	180W	22,130
▶ 7726	LED-FXSAL180/40K/WH/3S/480*	180W	21,456
▶ 7727	LED-FXSAL180/50K/WH/3S/480*	180W	21,870
7749	LED-FXSAL240/30K/WH/3S*	240W	29,794
▶ 7638	LED-FXSAL240/40K/WH/3S*	240W	28,828
▶ 7639	LED-FXSAL240/50K/WH/3S*	240W	29,306
▶ 7730	LED-FXSAL240/40K/WH/3S/480*	240W	29,508
▶ 7731	LED-FXSAL240/50K/WH/3S/480*	240W	30,015
7751	LED-FXSAL360/30K/WH/3S*	360W	44,796
▶ 7642	LED-FXSAL360/40K/WH/3S*	360W	43,115
▶ 7643	LED-FXSAL360/50K/WH/3S*	360W	43,907
▶ 7734	LED-FXSAL360/40K/WH/3S/480*	360W	43,229
▶ 7735	LED-FXSAL360/50K/WH/3S/480*	360W	43,980
7701	LED-FXSAL150/30K/BK/3S*	150W	20,604
▶ 9234	LED-FXSAL150/50K/BK/3S*	150W	20,604
▶ 9210	LED-FXSAL240/50K/BK/3S*	240W	30,015




▶ DLC Premium

* Made to order

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

SKU	Product Code	Description
 • P10101	MT-SAL/SF/DB	Slip Fitter Mount for SAL (DB)
• P10209	MT-SAL/SF/BK	Slip Fitter Mount for SAL (BK)
• P10102	MT-SAL/SF/WH	Slip Fitter Mount for SAL (WH)
 • P10103	MT-SAL/SB/DB	Swivel Bracket Mount for SAL (DB)
• P10210	MT-SAL/SB/BK	Swivel Bracket Mount for SAL (BK)
• P10104	MT-SAL/SB/WH	Swivel Bracket Mount for SAL (WH)
• P10105	MT-SAL/EA6/DB	6" Extruded Arm for SAL (DB)
• P10211	MT-SAL/EA6/BK	6" Extruded Arm for SAL (BK)
• P10106	MT-SAL/EA6/WH	6" Extruded Arm for SAL (WH)
 • P10107	MT-SAL/DPB/DB	Dual Pendant Box 3/4" NPT (DB)
• P10108	MT-SAL/DPB/WH	Dual Pendant Box 3/4" NPT (WH)
 • P10198	MT-SAL/WM/DB	Wall Mount (DB)
• P10199	MT-SAL/WM/WH	Wall Mount (WH)
• P10111	MT-SAL/YK9/DB	9" Yoke Mount 29-100W (DB)
• P10113	MT-SAL/YK15/DB	15" Yoke Mount 150-360W (DB)
• P10112	MT-SAL/YK9/WH	9" Yoke Mount 29-100W (WH)
• P10114	MT-SAL/YK15/WH	15" Yoke Mount 150-360W (WH)
• P10205	GSB-SAL-S/DB	Back Glare Shields for Small SAL (DB)
• P10206	GSB-SAL-S/WH	Back Glare Shields for Small SAL (WH)
• P10207	GSB-SAL-L/DB	Back Glare Shields for Large SAL (DB)
• P10208	GSB-SAL-L/WH	Back Glare Shields for Large SAL (WH)
• P10213	GSF-SAL-S/DB	Front Glare Shields for Small SAL (DB)Front
• P10214	GSF-SAL-S/WH	Glare Shields for Small SAL (WH)
• P10215	GSF-SAL-L/DB	Front Glare Shields for Large SAL (DB)Front
• P10216	GSF-SAL-L/WH	Glare Shields for Large SAL (WH)
• P10119	MT-SAL/4PA/DB	4" Round pole adaptor for SAL (DB)
• P10120	MT-SAL/5PA/DB	5" Round pole adaptor for SAL (DB)
• P10121	MT-SAL/6PA/DB	6" Round pole adaptor for SAL (DB)
• P10122	MT-SAL/4PA/WH	4" Round pole adaptor for SAL (WH)
• P10123	MT-SAL/5PA/WH	5" Round pole adaptor for SAL (WH)
• P10124	MT-SAL/6PA/WH	6" Round pole adaptor for SAL (WH)
 • K134115	PLT/SDB/SWC	PIR Motion/Photocell 0-10V 100-277V 3X C Lens (29-100W) - Bronze Plate
• K135115	PLT/SWH/SWC	PIR Motion/Photocell 0-10V 100-277V 3X C Lens (29-100W) - White Plate
• K136115	PLT/LDB/SWC	PIR Motion/Photocell 0-10V 100-277V 3X C Lens (150-360W) - Bronze Plate
• K137115	PLT/LWH/SWC	PIR Motion/Photocell 0-10V 100-277V 3X C Lens (150-360W) - White Plate

• Limited Stock

SKU	Product Code	Description
 • K238X2	LENS-SAL180-IV	Type 4 Lens (150 and 180W)
• K238X3	LENS-SAL240-IV	Type 4 Lens (240W)
• K237X4	LENS-SAL360-IV	Type 4 Lens (360W)
 • P10127	LENS-SAL-SMALL-V	Type 5 Lens (29-100W)
• P10128	LENS-SAL-LARGE-V/DB	Type 5 Lens (150-360W) DB
• P10131	LENS-SAL-LARGE-V/WH	Type 5 Lens (150-360W) White
 • P10183	BALED-ESD-240S460DT	277-480V Driver for SAL 150W, 180W, and 360W (360W requires 2 drivers)
• P10184	BALED-ESD-240S660DT	277-480V Driver for SAL 240W

• Limited Stock

23

JELLY JAR VAPOR TIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7604	LED-FXVTJ20/830/MV-WM	20W	1,713
7605	LED-FXVTJ20/840/MV-WM	20W	1,713
7606	LED-FXVTJ20/830/MV-CM	20W	1,713
7607	LED-FXVTJ20/840/MV-CM	20W	1,713

SKU	Product Code	Description
P10169	LENS-VTJ	Replacement Lens for Vapor Tight Jelly Jar



24

BULKHEAD WALL LIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7024	LED-FXBWL10/830/BK	10W	700
7046	LED-FXBWL10/840/BK	10W	700
7025	LED-FXBWL10/850/BK	10W	700
7062	LED-FXBWL10/830/WH	10W	700



25

PORCH & OUTDOOR WALL LIGHT

Energy Star



SKU Code	Product Code	Watts	Lumens
7158	FXDWL14/105L840/BK/OD	14W	1,050
7159	FXDAL14/12FR/98L840/BK/OD	14W	840
7160	FXDWL10.5/FR/105L940/OD	10.5W	1,050



26

3-WAY WALL SCNCE

Up, Down, or Up & Down, Photocell Included



SKU Code	Product Code	Watts	Lumens
7644	FX4DWS20SW/20/8CCT3/BK/347-PH	20W	2,300
7531	FX4DWS20SW/20/8CCT3/WH/347-PH	20W	2,300
7645	FX6DWS36SW/20/8CCT3/BK/347-PH	36W	4,680
7532	FX6DWS36SW/20/8CCT3/WH/347-PH	36W	4,680



27

UP/DOWN WALL SCNCE

Energy Star




SKU Code	Product Code	Watts	Lumens
7026	LED-FXDWS10/830/BK	10W	700
7027	LED-FXDWS10/850/BK	10W	700
7064	LED-FXDWS20/830/BK	20W	1,400
7065	LED-FXDWS20/850/BK	20W	1,400
7068	LED-FXDWS10/830/WH	10W	700
7069	LED-FXDWS10/850/WH	10W	700
7070	LED-FXDWS20/830/WH	20W	1,400
7071	LED-FXDWS20/850/WH	20W	1,400
7022	LED-FXDWS10/830/NI	10W	700
7023	LED-FXDWS20/830/NI	20W	1,400
7792	LED-FX5DWS25/33S/930/BK	25W	1,750



28

SECURITY FLOOD LIGHT

Energy Star & Wet Location Rated



SKU Code	Product Code	Watts	Lumens
• 7030	LED-FXBFD20/830/BK-SEN	20W	1,400
• 7031	LED-FXBFD20/850/BK-SEN	20W	1,400
• 7066	LED-FXBFD20/830/WH-SEN	20W	1,400
• 7067	LED-FXBFD20/850/WH-SEN	20W	1,400
•• 7032	LED-FXSFD20/830/WH-SEN	20W	1,400
•• 7033	LED-FXSFD20/850/WH-SEN	20W	1,400
7082	LED-FXBFD20/830/BK	20W	1,400
7083	LED-FXBFD20/850/BK	20W	1,400
7672	LED-FXBFD20/830/WH	20W	1,400
7673	LED-FXBFD20/850/WH	20W	1,400

- Motion Sensor Included
- Limited Stock


SKU	Product Code	Description
P10118	SEN-ES-180NX3-2VR/BK	Motion Sensor for 2 headed Security Flood Light



29

SECURITY LIGHT

DLC Premium, Energy Star, IP65 Rated, Photocell Included



SKU Code	Product Code	Watts	Lumens
9410	FXSECW15/840/DB/MV	15W	2,024
9411	FXSECW15/850/DB/MV	15W	2,027
9412	FXSECW30/840/DB/MV	29W	3,933
9413	FXSECW30/850/DB/MV	29W	3,949
• 7790	LED-FXSECS25/40K	24W	2,250

- Energy Star



30

DUSK TO DAWN SECURITY LIGHT

DLC Premium, IP65 Rated, CCT3 (30/40/50K)



Photocell Included



SKU Code	Product Code	Watts	Lumens
9226	FXSECS30/CCT3	30W	4,256

SKU	Product Code	Description
P10054	MT-DEA16	16" Extension Arm Pole



31

HID RETROFIT KIT

DLC Premium



SKU Code	Product Code	Watts	Lumens
9600	RKIT50HID/8CCT3	50W	6,367
9601	RKIT100HID/8CCT3	100W	12,987
9602	RKIT180HID/850	180W	24,496
9603	RKIT240HID/850	240W	32,170

SKU	Product Code	Description
P10374	MT-RKIT-E26	E26 adaptor for HID Retrofit kit
P10448	BALED-SS-100M-56BH	277-480V Driver for #9601
P10447	BALED-SS-240M-56BH	277-480V Driver for #9602 #9603



32

WORK LIGHTS

Wet Rated Location/IP64 Rated



SKU Code	Product Code	Watts	Lumens
• 4560	LED36PWL/FR33/850	36W	3,300
• 4561	LED93PWL/FR70/850	93W	7,000

- Limited Stock



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

LED // FIXTURE // OUTDOOR 31

01

ULTRA SLIM DISK LIGHT

Energy Star, CCT5 (27/30/35/40/50K), CCT3 (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9361	LED4DLR-65L9CCT5	10W	650
9363	LED6DLR-90L9CCT5	12W	900
9362	LED4DLS-65L9CCT5	10W	650
9364	LED6DLS-90L9CCT5	12W	900
• 9369	LED4DLS-60L9CCT3	9W	600
• 9371	LED6DLS-80L9CCT3	12W	800

SKU	Product Code	Description
P10308	PLT-NC/4DL	4" Round Pre Mounting Plate
P10309	PLT-NC/6DL	6" Round Pre Mounting Plate
P10375	PLT-NC/DL/3-4-6-8	Universal Plate for 3/4/6/8" Disk Light

• Limited Stock



02

RECESSED DOWNLIGHT

Energy Star & Wet Location Rated



SKU Code	Product Code	Watts	Lumens
9524	LED4RL9-55L930	9W	550
9525	LED6RL14-110L930	14W	1,100
9526	LED4RL10-75L9CCT5	10W	750
9527	LED6RL14-110L9CCT5	14W	1,100

SKU	Product Code	Description
P10029	ADP-RLGU24-N	GU24 Socket Adaptor
P10404	RT-6RL15-BZ	Trim for #9527 - Bronze
P10170	RT-4RL9-BK	Trim 4" - Black
P10173	RT-6RL15-BK	Trim 5/6" - Black
P10171	RT-4RL9-CH	Trim 4" - Chrome
P10174	RT-6RL15-CH	Trim 5/6" - Chrome
P10172	RT-4RL9-CH-WH	Trim 4" - Chrome White
P10175	RT-6RL15-CH-WH	Trim 5/6" - Chrome White
P10177	RTS-6RL15-WH	Square Trim 5/6" - White



03

COMMERCIAL RECESSED LIGHT

Selectable Wattage, CCT3 (30/40/50K)



SKU Code	Product Code	Watts	Lumens
9466	LED6CRL15SW-127L9CCT3/MV	9/12/15W	760 / 1,020 / 1,275
9467	LED8CRL27SW-243L9CCT3/MV	16/21/27W	1,440 / 1,890 / 2,430
9468	LED10CRL30SW-270L9CCT3/MV	18/23/30W	1,620 / 2,070 / 2,700

SKU	Product Code	Description
P10309	PLT-NC/6DL	6" Round Pre-Mounting Plate
P10375	PLT-NC/DL/3-4-6-8	Universal Plate for 3/4/6/8" Disk Light
• P10318	PLT-NC/8DL-LONG	8" Round Pre-Mounting Long Plate
P10426	MT-TBAR-EM-2ft	T-Grid Hanger for Emergency Driver

• Limited Stock



04

FLUSH MOUNT DISK

Energy Star, CCT5 (27/30/35/40/50K)



SKU Code	Product Code	Watts	Lumens
9440	LED6FMD-110L9CCT5	14W	1,100
9472	LED12FMD-96L840	12W	960
9473	LED12FMD-96L9CCT5	12W	960




05

FLUSH MOUNT COMPACT

Energy Star, CCT5 (27/30/35/40/50K)



E26 Base is included




SKU Code	Product Code	Watts	Lumens
9522	LED7FMC-96L930	12W	960
9523	LED7FMC-96L9CCT5	12W	960



06

FMR ROUND

Energy Star, CCT5 (27/30/35/40/50K), Single CCT



SKU Code	Product Code	Watts	Lumens
9359	LED12FMR-112L9CCT5	14W	1,120
9360	LED16FMR-200L9CCT5	24W	2,000
• 7146	LED16FMR-160L830	22W	1,672
• 7147	LED16FMR-160L840	22W	1,672
• 7157	LED16FMR-160L850	22W	1,672

• Limited Stock


SKU	Product Code	Description
P10132	LENS-12FMR	Replacement Lens for 12" FMR
P10133	LENS-16FMR	Replacement Lens for 16" FMR



07

FLUSH MOUNT MODERN

Energy Star, CCT5 (27/30/35/40/50K), Single CCT



SKU Code	Product Code	Watts	Lumens
9356	LED12FMM-126L9CCT5-NI	18W	1,260
9357	LED14FMM-180L9CCT5-NI	24W	1,800
9358	LED16FMM-190L9CCT5-NI	24W	1,900
• 7430	LED12FMM-138L830-NI	18W	1,380
• 7433	LED14FMM-165L830-NI	22W	1,700
• 7434	LED14FMM-165L840-NI	22W	1,700
• 7533	LED16FMM-196L830-NI	26W	1,960
• 7534	LED16FMM-196L840-NI	26W	1,960
• 7596	LED12FMM-138L840-NI/MV	18W	1,380
• 7597	LED14FMM-165L840-NI/MV	22W	1,652

• Limited Stock



08

PENDANT LIGHT

Energy Star & CRI 90



SKU Code	Product Code	Watts	Lumens
7794	LED-FX4PCL18/33/930/BK	18W	1,300




Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

LED // FIXTURE // INDOOR 35

09

DECORATIVE ACCENT

Energy Star & CRI 80



SKU Code	Product Code	Watts	Lumens
7018	LED-FXDAL23/12FR/830/NI	23W	1,610
7019	LED-FXDAL23/12FR/840/NI	23W	1,610
7020	LED-FXDAL23/24FR/830/NI	23W	2,000
7021	LED-FXDAL23/24FR/840/NI	23W	2,000


SKU	Product Code	Description
P10077	SWCH-ZE109-NI	Pull String Switch
P10078	SWCH-ZE204A	Toggle Switch



11

COMMERCIAL WRAP

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9585	FXCWS44SW/48FR/8CCT3	22W	3,102
		28W	3,920
		34W	4,726
		44W	6,063

SKU	Product Code	Description
P10157	WG-9CWS44/48/WH	Wire Guard
P10016	LENS-CWS44/4FT	Replacement Lens



10

EMERGENCY EXIT LIGHT




SKU Code	Product Code	Watts	Voltage
7521	LEDEX-GRN/RED-WH	1W	120/277V
7522	LEDEM-FD-WH	2W	120/277V
7528	LEDEX-EMFD-GRN/RED-WH	3.5W	120/277V

12

UTILITY WRAP

DLC Premium & CRI 80



SKU Code	Product Code	Watts	Lumens
9538	FXUWS27/48CL/840	27W	3,510
9539	FXUWS27/48CL/850	27W	3,510
9540	FXUWS27/48CL/840/347	27W	3,510
9541	FXUWS27/48CL/850/347	27W	3,510

SKU	Product Code	Description
P10249	WG-UWS/48/WH	Wire Guard
K7336197	FXUWS-BAEM-MT	Kit for EM Driver with Wireway Cover
K234197	FXUWS27-MC605VD-PLT	Motion Sensor with Wireway Cover Kit
P10197	PLT-UWS/4FT/WH	Wireway Cover
P10407	LENS-UWS27	Replacement Lens



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

13

NARROW UTILITY STRIP LIGHT



SKU Code	Product Code	Watts	Lumens
7593	LED-FXUSL40/48FR/840/MV	38W	5,241
7594	LED-FXUSL40/48FR/850/MV	38W	5,395
9253	LED-FXUSL40/48FR/840/MV-SEN	38W	5,241

SKU	Product Code	Description
P10303	WG-USL/48/WH	Wire Guard



14

COMMERCIAL STRIP LIGHT

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9575	FXCSL44SW/48FR/8CCT3/MV	22W	2,970
		28W	3,640
		36W	4,680
		44W	5,724
9578	FXCSL68SW/96FR/8CCT3/MV *FE*	44W	6,248
		58W	7,540
		68W	9,398
9577	FXCSL22/24FR/8CCT3/347	22W	2,878

SKU	Product Code	Description
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
P10323	SEN-HD05R	Remote Programmer for P10438
P10010	WG-2.5CSL/24/WH	Wire Guard for #9577
P10011	WG-2.5CSL/48/WH	WireGuard for #9575 (2pcs for 8-ft)

FE - Freight Exception



15

COMMERCIAL STRIP LIGHT

Compatible with EM Driver



SKU Code	Product Code	Watts	Lumens
• 9344	LED-FXCSL35/48FR/840/MV-SEN	34W	5,417
• 9345	LED-FXCSL35/48FR/850/MV-SEN	34W	5,481
• 9259	LED-FXCSL20/24FR/840/MV	20W	3,283
• 9260	LED-FXCSL20/24FR/850/MV	20W	3,346
• 9265	LED-FXCSL42/96FR/840/MV *FE*	42W	6,657
• 9266	LED-FXCSL42/96FR/850/MV *FE*	43W	6,823
• 9268	LED-FXCSL56/96FR/850/MV *FE*	54W	8,651

SKU	Product Code	Description
• P10250	WG-CSL/24/WH	Wire Guard for 2 ft
• P10251	WG-CSL/48/WH	Wire Guard for 4 ft (use 2 pcs for 8 ft)

• Limited Stock

FE - Freight Exception



16

RETROFIT STRIP LIGHT

3CCT, Single Wattage



SKU Code	Product Code	Watts	Lumens
7161	FXRSL44SW/48FR/8CCT3/MV	22W	2,860
		27W	3,510
		35W	4,550
		44W	5,720
7162	FXRSL68SW/96FR/8CCT3/MV	44W	5,720
		58W	7,450
		60W	8,840
		60W	8,840
• 9346	LED-FXRSL25/48FR/840/MV	25W	3,944
• 9347	LED-FXRSL25/48FR/850/MV	25W	3,977
• 9348	LED-FXRSL56/96FR/840/MV *FE*	55W	8,425
• 9349	LED-FXRSL56/96FR/850/MV *FE*	55W	8,464

• Limited Stock

FE - Freight Exception



17 UNDER CABINET

JA8 / CEC



SKU Code	Product Code	Watts	Lumens
• 7591	LED-FXUC4/9FR/930	4W	260
• 7592	LED-FXUC4/9FR/940	4W	260

SKU	Product Code	Description
P10151	QC-FXUC-10IN	10" Extended Quick Connector
P10180	QC-FXUC-SRT	Quick Connector for Under Cabinet
P10152	PWC-FXUC-3FT	3' Power Cable for Under Cabinet

• Limited Stock



19 BACK-LIT FLAT PANEL

Selectable Wattages, CCT3 (35/40/50K)




SKU Code	Product Code	Watts	Lumens
• 9462	FXPNL40/1x4/8CCT3	40W	4,480
7526	FXPNL38SW/2X2/8CCT3	23W	2,714
		29W	3,335
		38W	4,180
7527	FXPNL46SW/2X4/8CCT3	28W	3,360
		39W	4,524
		46W	5,280

• Limited Stock



18 VAPOR TIGHT LINEAR

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9561	FXVTL30SW/24FR/8CCT3	20/25/30W	2,613/ 3,250/ 4,156
9562	FXVTL60SW/48FR/8CCT3	30/45/60W	4,188/ 5,850/ 8,010
9563	FXVTL100SW/96FR/840 *FE*	60/80/100W	7,987/ 10,400/ 13,407
9564	FXVTL100SW/96FR/850 *FE*	60/80/100W	8,108/ 10,400/ 13,586
9296	FXVTL40/48FR/840/347	41W	5,397
9565	FXVTL30SW/24FR/8CCT3/347	20/25/30W	2,613/ 3,250/ 4,156
9566	FXVTL60SW/48FR/8CCT3/347	30/45/60W	4,188/ 5,850/ 8,010

SKU	Product Code	Description
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
K438380	SEN-HB001VCR/BA12V	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD05R	Remote Programmer for K438380 and P10438
P10411	MT-Linear-45/90	45°/90° Angle Mount Bracket for 9561 and 9562
K7336412	FXVTL30-BAEM-MTG1	Emergency Driver(7336) with Mounting Plate for 9561
K7334412	FXVTL-BAEM-MTG1	Emergency Driver(7334) with Mounting Plate



20 BACK-LIT FLAT PANEL

CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9665	FXPNL23/2X2/8CCT3*	23W	2,714
9666	FXPNL29/2X2/8CCT3*	29W	3,335
9667	FXPNL28/2X4/8CCT3*	28W	3,360
9668	FXPNL39/2X4/8CCT3*	39W	4,524

SKU	Product Code	Description
P10416	MT-1X4BOX-3.0IN	3.0" Height Surface Mount Kit (1'x4')
P10417	MT-2X2BOX-3.0IN	3.0" Height Surface Mount Kit (2'x2')
P10418	MT-2X4BOX-3.0IN	3.0" Height Surface Mount Kit (2'x4')
P10334	MT-1x4BOX-4.5IN	4.5" Height Surface Mount Kit (1'x4')
P10335	MT-2x2BOX-4.5IN	4.5" Height Surface Mount Kit (2'x2')
P10336	MT-2x4BOX-4.5IN	4.5" Height Surface Mount Kit (2'x4')
P10314	MT-1X4FMBOX	Flange Mount Kit (1'x4')
P10228	MT-2X2FMBOX	Flange Mount Kit (2'x2')
P10229	MT-2X4FMBOX	Flange Mount Kit (2'x4')
K7338333	FXPNL-BAEM-MT1FT-BLP/347	Kit EM Driver and plate for 1'x4'
7338	BAEM8L-60BC/347-A	Emergency Driver for 2'x2'/2'x4'

*Made to order



Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

21

BACK-LIT FLAT PANEL

CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
• 9460	FXPNL40/2x2/8CCT3	40W	4,480
• 9461	FXPNL50/2x4/8CCT3	50W	5,900

SKU	Product Code	Description
P10416	MT-1X4BOX-3.0IN	3.0" Height Surface Mount Kit (1'x4')
P10417	MT-2X2BOX-3.0IN	3.0" Height Surface Mount Kit (2'x2')
P10418	MT-2X4BOX-3.0IN	3.0" Height Surface Mount Kit (2'x4')
P10334	MT-1x4BOX-4.5IN	4.5" Height Surface Mount Kit (1'x4')
P10335	MT-2x2BOX-4.5IN	4.5" Height Surface Mount Kit (2'x2')
P10336	MT-2x4BOX-4.5IN	4.5" Height Surface Mount Kit (2'x4')
P10314	MT-1X4FMBOX	Flange Mount Kit (1'x4')
P10228	MT-2X2FMBOX	Flange Mount Kit (2'x2')
P10229	MT-2X4FMBOX	Flange Mount Kit (2'x4')
K7338333	FXPNL-BAEM-MT1FT-BLP/347	Kit EM Driver and plate for 1'x4'
7338	BAEM8L-60BC/347-A	Emergency Driver for 2'x2'/2'x4'

• Limited Stock



23

FLUSH MOUNT PANEL

CCT3 (35/40/50K) -120V




SKU Code	Product Code	Watts	Lumens
7103	FXPNL45/1x4/9CCT3/120	45W	3,600



22

EDGE-LIT FLAT PANEL

Damp Location



SKU Code	Product Code	Watts	Lumens
• 7675	LED-FXPNL40/1X4/840G1	41W	4,397
• 7720	LED-FXPNL40/2X2/835G1	40W	4,381
• 7685	LED-FXPNL40/2X2/850G1	40W	4,489

SKU	Product Code	Description
• P10100	MT-PNL-HOOK-6PCS	Edge-Lit Panel 2x4 Earthquake Hook
• P10097	MT-2X2BOXG1	2x2 Panel Surface Mount Kit
• P10098	MT-2X4BOXG1	2x4 Panel Surface Mount Kit


• Limited Stock



24

TROFFER

Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens	
9559	FXTF36SW/2x2/8CCT3	20W	2,600	
		30W	4,100	
		36W	4,576	
9560	FXTF45SW/2x4/8CCT3	30W	3,900	
		40W	5,700	
		45W		6,003

SKU	Product Code	Description
P10417	MT-2X2BOX-3.0IN	3.0" Height Surface Mount Kit (2'x2')
P10418	MT-2X4BOX-3.0IN	3.0" Height Surface Mount Kit (2'x4')
P10335	MT-2x2BOX-4.5in	4.5" Height Surface Mount Kit (2'x2')
P10336	MT-2x4BOX-4.5in	4.5" Height Surface Mount Kit (2'x4')
P10228	MT-2X2FMBOX	2x2 Flange Mount Kit
P10229	MT-2X4FMBOX	2x4 Flange Mount Kit
K7336427	FXTFSW-BAEM-MT	Emergency Driver w/ Plate Kit
K234427	FXTFSW/MC605-MT	Microwave Motion Sensor w/ Plate Kit



25

TROFFER

Damp Location



SKU Code	Product Code	Watts	Lumens
• 9236	LED-FXTF20/2x2/840G1	20W	2,620
• 9237	LED-FXTF20/2x2/850G1	20W	2,640
• 9238	LED-FXTF30/2x4/835G1	30W	3,810
• 9239	LED-FXTF30/2x4/840G1	30W	3,900
• 9240	LED-FXTF30/2x4/850G1	30W	3,900
• 9241	LED-FXTF45/2x4/835G1	45W	5,715
• 9242	LED-FXTF45/2x4/840G1	45W	5,850
• 9243	LED-FXTF45/2x4/850G1	45W	5,850

• Limited Stock


*FE - Freight Exception



26

TROFFER (RETROFIT)

DLC Premium, Selectable Wattages, CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Lumens
9213	FXRTF25SW/2X2/8CCT3	16/20/25W	2,000/ 2,500/ 3,125
9214	FXRTF27SW/2X4/8CCT3	18/22/27W	2,610/ 3,190/ 3,900
• 7779	LED-FXRTF25/2X2/835	25W	3,125
• 7780	LED-FXRTF25/2X2/840	25W	3,125
• 7781	LED-FXRTF42/2X4/835	42W	5,334


• Limited Stock



27

ROUND HIGH BAY

DLC Premium & IP66



SKU Code	Product Code	Watts	Lumens
9469	FX11HBR100/90/850/WH/IP66	100W	15,321
9470	FX13HBR150/90/850/WH/IP66	150W	23,097
9555	FX15HBR200/90/850/WH/IP66	200W	32,985
7165	• FX15HBR200SW/90/850/BK/IP66480	120W	18,000
		160W	24,000
		200W	30,000
9438	FX11HBR100/90/850/BK/IP66/347	100W	15,321
9439	FX13HBR150/90/850/BK/IP66/347	150W	23,097
9556	FX15HBR200/90/850/BK/IP66/347	200W	32,985

SKU	Product Code	Description
P10320	LENS-11HBR-120D-IP66	120° Lens for 11"
P10321	LENS-13HBR-120D-IP66	120° Lens for 13"
P10433	LENS-15HBR-120D-IP66	120° Lens for 15"
P10376	CVR-11HBR100-PC	PC Reflector for 11"
P10377	CVR-13HBR150-PC	PC Reflector for 13"
P10434	CVR-15HBR150-PC	PC Reflector for 15"
P10319	SEN-HD06VCRH	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD05R	Remote Programmer
P10191	ADP-1/2-3/4NPT	1/2" to 3/4" NPT Adaptor for Pendant Mount

• Black




Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

LED // FIXTURE // INDOOR 45

LINEAR HIGH BAY

DLC Premium




SKU Code	Product Code	Watts	Lumens
9476	FXHBL100/22FR/840	100W	13,736
9477	FXHBL100/22FR/850	100W	14,093
9478	FXHBL150/22FR/840	150W	20,702
9479	FXHBL150/22FR/850	150W	21,240
9500	FXHBL150/44FR/840	150W	20,632
9501	FXHBL150/44FR/850	150W	21,127
9480	FXHBL210/22FR/840	210W	27,622
9481	FXHBL210/22FR/850	210W	28,257
9502	FXHBL210/44FR/840	210W	27,698
9503	FXHBL210/44FR/850	210W	28,418
9483	FXHBL300/44FR/850	300W	42,441
9484	FXBHL100/22FR/840/347	100W	13,428
9485	FXBHL100/22FR/850/347	100W	13,777
9486	FXBHL150/22FR/840/347	150W	20,238
9487	FXBHL150/22FR/850/347	150W	20,764
9488	FXBHL210/22FR/840/347	210W	27,778
9489	FXBHL210/22FR/850/347	210W	28,445
9491	FXBHL300/44FR/850/347	300W	41,490

SKU	Product Code	Description
P10396	ADP-PM-HBL/WH	Pendant Mount Kit with 3/4" NPT
P10092	MT-YK-HBL22	Yoke Mount for 22" HBL
P10093	MT-YK-HBL44	Yoke Mount for 44" HBL
P10094	WG-HBL22/WH	Wire Guard for 22" HBL
P10095	WG-HBL44/WH	Wire Guard for 44" HBL
P10371	SEN-BRI619	PIR Motion Sensor 0-10V 12-24V 2X Area Lens
P10316	SEN-BRI-RC100	Remote Programmer for P10371
P10086	SEN-LOS-509-SFG	PIR Motion Sensor On-Off 100-277 Aisle Lens
P10087	SEN-LOS-509-SFC	PIR Motion Sensor On-Off 100-277 3X Area Lens
P10162	SEN-LRD-509-SFG	PIR Motion Sensor 0-10V 120-277 Aisle Lens
P10163	SEN-LRD-509-SFC	PIR Motion Sensor 0-10V 120-277 3X Area Lens
P10164	SEN-SRP280	Remote Programmer for P10162 & P10163
P10256	SEN-ON-LRD-509-SFG	PIR Linkable Sensor 0-10V 120-277 Aisle Lens
P10257	SEN-ON-LRD-509-SFC	PIR Linkable Sensor 0-10V 120-277 3X Area Lens
P10259	SEN-ON-SRP281	Remote Programmer for Linkable P10256 & P10257
P10260	SWCH-ON-PBD-705	Wall Switch for Linkable Sensor P10256, P10257



INDUSTRIAL HIGH BAY

DLC, IP66 Rated, 5000K, 120-277V / 277-480V



SKU Code	Product Code	Watts	Voltage	Lumens
7523	FX16HBR100/110/850/IP66/MV* *FE*	100W	120-277V	17,872
7524	FX16HBR100/110/850/IP66/480* *FE*	100W	277-480V	17,892
9576	FX16HBR200/110/850/IP66/MV *FE*	200W	120-277V	35,472
9573	FX16HBR200/110/850/IP66/480 *FE*	200W	277-480V	36,281
9599	FX16HBR340/110/850/IP66/MV *FE*	340W	120-277V	57,532
9574	FX16HBR340/110/850/IP66/480 *FE*	340W	277-480V	57,826

SKU	Product Code	Description
P10440	CVR-16HBR-80-AL	80° Aluminum Reflector 23.2" Diameter x 9.84" Height
P10233	MT-PIPE075-MPT-18IN/BK	3/4" NPT 18" Black Steel Pendant Rod (Threaded)
P10439	MT-YK-HBR16-BK	Yoke Mount for 16" Industrial High Bay

*Made to order

FE - Freight Exception



01

FILAMENT

CRI 90, Energy Star, JA8



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5941	LED5CAF/FIL/E26/32L/922	5W	40W	325
▶ 5942	LED5G25/FIL/35L/922	5W	40W	350
▶ 5994	LED6.5A19/FIL/45L/922	6.5W	40W	455

▶ Energy Star



03

A19 JA8/T20

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4513	LED12A19/110L/927	12W	75W	1,100
4528	LED12A19/110L/930	12W	75W	1,100
4533	LED12A19/110L/940	12W	75W	1,100
4529	LED12A19/110L/950	12W	75W	1,100
• 4524	LED5A19/45L/950	5W	40W	450
• 5948	LED6A19/48L/850	6W	40W	480
• 4512	LED6.5A19/48L/927	6.5W	40W	480
• 4525	LED9A19/81L/927	9W	60W	810

• Limited Stock



02

CANDELABRA / GLOBE

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 4562	LED4.5CAB/32L/E12/827	4.5W	40W	325
▶ 4563	LED4.5CAB/32L/E12/830	5W	40W	325
4564	LED4.5CAB/32L/E12/850	4.5W	40W	325
• 5781	LED5CAB/32L/E26/27K	5W	40W	325
• 5814	LED6G25/45L/27K	6W	40W	450

▶ Energy Star

• Limited Stock



04

ENCLOSED FIXTURE RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4534	LED9A19/EC/81L/927	9W	60W	810
4586	LED9A19/EC/81L/930	9W	60W	810
4587	LED9A19/EC/81L/940	9W	60W	810
4588	LED9A19/EC/81L/950	9W	60W	810
4535	LED9A19/EC/81L/GU24/927	9W	60W	810
4615	LED9A19/EC/81L/GU24/940	9W	60W	810



05

A21 JA8/T20

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4514	LED17A21/160L/927	17W	100W	1,600
4530	LED17A21/160L/930	17W	100W	1,600
4531	LED17A21/160L/950	17W	100W	1,600
• 5962	LED15A21/160L/830	15W	100W	1,600

• Limited Stock



06

R / BR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 5834	LED8R20/50L/927	8W	50W	525
▶ 5982	LED8R20/52L/950	8W	50W	525
▶ 5835	LED9BR30/65L/927	9W	65W	650
▶ 5983	LED9BR30/71L/950	9W	65W	715
▶ 5842	LED12BR30/90L/927	12W	75W	938
▶ 5893	LED12BR30/95L/930	12W	75W	950
▶ 5978	LED12BR30/90L/940	12W	75W	950
▶ 5984	LED12BR30/95L/950	12W	75W	950
▶ 5836	LED15BR40/120L/927	15W	85W	1,200
▶ 5886	LED8BR30/65L/827CP (2 Pack)	8W	50W	610
• 5783	LED11BR30/85L/27K	11W	65W	850
• 5895	LED12BR40/105L/827	12W	75W	1,050
▶ 5986	LED14BR40/100L/930	14W	75W	1,000
▶ 5896	LED14BR40/100L/930	14W	75W	1,000
• 5784	LED17BR40/140L/27K	17W	100W	1,400

• Limited Stock

• Energy Star



07

PAR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5924	LED8PAR20/50L/FL/930	8W	50W	500
5925	LED8PAR20/50L/FL/950	8W	50W	500
5926	LED10PAR30/80L/FL/930	10W	75W	800
5927	LED10PAR30/80L/FL/950	10.5W	75W	800



08

PAR

CRI 80/90



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5856	LED7.6PAR20/50L/FL/840	7.6W	50W	500
• 5763	LED9.5PAR20/50L/FL/50K	9.5W	50W	500
• 5861	LED9PAR30/80L/FL/830	9W	75W	800
• 5862	LED9PAR30/80L/FL/840	9W	75W	800
• 5863	LED9PAR30/80L/FL/850	9W	75W	800
• 5756	LED14PAR30/88L/NFL/30K	14W	75W	880
• 5757	LED14PAR30/90L/NFL/50K	14W	75W	900
• 5764	LED14PAR30/80L/FL/30K	14W	75W	800
• 5765	LED14PAR30/86L/FL/50K	14W	75W	860
• 5906	▶ LED10PAR30L/90L/930	10W	75W	900
• 5790	LHO-9.5PAR30L/75L/FL/30K	9.5W	75W	750
• 5868	LED9PAR30L/80L/FL/840	9W	75W	800
• 5869	LED9PAR30L/80L/FL/850	9W	75W	800
• 5715	LHO12PAR30L/DIM/NFL/30K	12W	75W	830
• 5759	LED14PAR30L/90L/NFL/50K	14W	75W	900
• 5767	LED14PAR30L/86L/FL/50K	14W	75W	860
• 5630	LED14PAR30L/DIM/NFL/40K	14W	75W	870
• 5907	▶ LED12PAR38/110L/930	12W	90W	1,050
• 5879	LHO18PAR38/125L/FL/27K	18W	150W	1,250
• 5880	LHO18PAR38/135L/FL/30K	18W	150W	1,350

• Limited Stock

• Energy Star



09

PAR OUTDOOR RATED

CRI 90 & Energy Star




SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5928	LED10PAR30L/OD/80L/FL/930	10.5W	75W	800
5997	LED10PAR30L/OD/80L/FL/940	10.5W	75W	800
5929	LED10PAR30L/OD/80L/FL/950	10.5W	75W	800
5930	LED15PAR38/OD/120L/FL/930	15W	100W	1,200
5998	LED15PAR38/OD/120L/FL/940	15W	100W	1,200
5931	LED15PAR38/OD/120L/FL/950	15W	100W	1,200



10

MR16 & MR11

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4565	LED6MR16/50L/FL/830	6W	35W	500
4566	LED6.5MR16/50L/GU10/FL/930	6.5W	50W	500
5678	LHO-4MR11/NFL/50K	4W	-	170

- Limited Stock
- Energy Star



11

BI-PIN (JC & JCD)

Low / Line Voltage



SKU Code	Product Code	Watts	Base	Lumens
4510	LED2JC/16L/G4/830	2W	G4	160
4511	LED2JC/17L/G4/850	2W	G4	170
4508	LED2JCD/18L/G9/830	2W	G9	180
4509	LED2JCD/20L/G9/850	2W	G9	200
5848	LHO-JC1.6T4G4/50K	1.6W	G4	160

- Dimmable
- Limited Stock



12

FILAMENT HID

High Efficacy



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4620	LED20FHID/ED23.5/EX39/830	20W	<100W	4,000
4621	LED20FHID/ED23.5/EX39/840	20W	<100W	4,000
4622	LED20FHID/ED23.5/EX39/850	20W	<100W	4,000
4623	LED25FHID/ED28/EX39/830	25W	150W	5,000
4624	LED25FHID/ED28/EX39/840	25W	150W	5,000
4625	LED25FHID/ED28/EX39/850	25W	150W	5,000
4626	LED30FHID/ED28/EX39/830	30W	150-175W	6,000
4627	LED30FHID/ED28/EX39/840	30W	150-175W	6,000
4628	LED30FHID/ED28/EX39/850	30W	150-175W	6,000
4629	LED40FHID/ED28/EX39/840	40W	250W	8,000
4630	LED40FHID/ED28/EX39/850	40W	250W	8,000
4631	LED40FHID/ED28C/EX39/840	40W	250W	8,000
4632	LED40FHID/ED28C/EX39/850	40W	250W	8,000
4633	LED55FHID/ED37/EX39/840	55W	400W	11,000
4634	LED55FHID/ED37/EX39/850	55W	400W	11,000

SKU	Product Code	Description
P10544	ADP-E26-EX39	Adapter for E26 Socket to E39/EX39 Lamp
P10545	ADP-EX39-E26	Adapter for E39/EX39 Socket to E26 Lamp



13

HID RETROFIT INTEGRATED BALLAST DLC



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4609	LED18HID/E26/279L/850	18W	50-150W	2,790
• 4610	LED27HID/EX39/418L/850	27W	150W	3,481
• 4611	LED36HID/EX39/558L/850	36W	200-250W	4,450
• 4612	LED80HID/EX39/1240L/850	80W	400W	9,980

• DLC



14

HID RETROFIT INTEGRATED BALLAST IP65 Rated



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4540	LED16HID/E26/190L/830	16W	50-100W	1,900
• 5965	LED20HID/E26/220L/827	20W	150W	2,200
• 4515	LED24HID/E26/270L/830	24W	150W	2,700
• 5967	LED28HID/E26/310L/827	28W	150W	3,100
• 5969	LED27HID/EX39/300L/830	25.3W	150W	2,903
• 5944	LED27HID/EX39/300L/850	25.3W	150W	2,903
• 5970	LED36HID/EX39/400L/830	35W	200W	4,008
• 4518	LED54HID/EX39/570L/830	54W	250W	5,130
• 5973	LED75HID/EX39/800L/840	75W	320W	8,153
• 5950	LED75HID/EX39/800L/850	75W	320W	8,153
• 4520	LED80HID/EX39/860L/850	80W	320W	7,600

• Limited Stock



15

PLUG-IN INSTANT FIT Ballast Compatible




SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4547	LED12PL/H/100L/4P/835/IF	12W	26W	1,050
4548	LED12PL/H/100L/4P/840/IF	12W	26W	1,100
4545	LED18PL/H/185L/4P/840/IF	18.5W	42W	1,850
4549	LED12PL/V/100L/4P/835/IF	12.5W	26W	1,050
4550	LED12PL/V/100L/4P/840/IF	12.5W	26W	1,100
4546	LED18PL/V/185L/4P/840/IF	20W	42W	1,850



16

PLUG-IN INSTANT FIT Ballast Compatible




SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4503	LED7PL/V/70L/4P/840/IF	8.5W	18W	700
• 5934	LED9PL/V/4P/935/IF	5/7/9W	13/18/26W	550/650/800
• 5935	LED9PL/V/4P/940/IF	5/7/9W	13/18/26W	550/650/800
• 5932	LED9PL/H/4P/935/IF	5/7/9W	13/18/26W	550/650/800

• Limited Stock



17

LED Tube (T5) Instant Fit




SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5992	LED28T5/FR35/840/IF	28W	54W	3,500
• 5993	LED28T5/FR35/850/IF	28W	54W	3,500
• 5902	LED28T5/FR32/840/IF	28W	54W	3,200

- DLC
- Limited Stock



20

LED Tube Type A & B Universal CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4616	LED15T8/FR20/8CCT3/AB/UNV	15W	32W	2,050



18

LED Tube (T5) integrated Driver Design



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5943	LED25T5/FR35/850	25W	54W	3,500



19

LED Tube w/ Emergency Battery CCT3 (35/40/50K)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4613	LEDEM14.5T8/FR20/8CCT3/MV	14.5W	32W	2,000



21

LED Tube (T8) Integrated Driver Universal Design




(Shunted / Non-Shunted sockets)

SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4556	LED9T8/24FR11/840/UNV	9W	17W	1,150
4557	LED9T8/24FR11/850/UNV	9W	17W	1,150
4569	LED12T8/36FR14/840/UNV	12W	25W	1,450
4570	LED12T8/36FR14/850/UNV	12W	25W	1,450
4603	LED10.5T8/FR17/840/UNV	10.5W	32W	1,700
4604	LED10.5T8/FR17/850/UNV	10.5W	32W	1,700
4538	LED14T8/FR18/840/UNV	14W	32W	1,800
4539	LED14T8/FR18/850/UNV	14W	32W	1,800



22

LED Tube (T8) Integrated Driver (UL Type B)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 5955	LED15T8/FR18/840G1	15W	32W	1,800
▶ 5956	LED15T8/FR18/850G1	15W	32W	1,800
▶ 4599	LED40T8/96FR55/840 *FE*	40W	110W	5,500
▶ 4600	LED40T8/96FR55/850 *FE*	40W	110W	5,500
▶ 4601	LED40T8/96FR55/R17D/840 *FE*	40W	110W	5,500
▶ 4602	LED40T8/96FR55/R17D/850 *FE*	40W	110W	5,500
• 5778	LED10T8/24FR10/840	10W	17W	1,109
• 5960	LED43T8/96FR55/R17D/840 *FE*	43W	110W	5,500

▶ DLC

• Limited Stock

FE - Freight Exception



23

LED Tube (T8) Instant Fit



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
▶ 4558	LED10T8/24FR12/840/IFG1	10W	17W	1,250
▶ 4559	LED10T8/24FR12/850/IFG1	10W	17W	1,250
▶ 4551	LED12T8/36FR14/840/IF	12W	17W	1,450
▶ 4552	LED12T8/36FR14/850/IF	12W	17W	1,450
▶ 4582	LED13T8/FR18/840/IF	13W	32W	1,800
▶ 4583	LED13T8/FR18/850/IF	13W	32W	1,800
▶ 4584	LED16T8/FR22/840/IF	16W	32W	2,200
▶ 4585	LED16T8/FR22/850/IF	16W	32W	2,200
• 5988	LED10T8/24FR12/840/IF	10W	17W	1,156
• 5850	LED10T8/24FR11/835/IF	10W	17W	1,150
• 5852	LED10T8/24FR11/850/IF	10W	17W	1,150
• 5891	LED11T8/36FR14/840/IF	11W	25W	1,400
• 5892	LED11T8/36FR14/850/IF	11W	25W	1,400
• 5887	LED38T8/96FR44/840/IF *FE*	38W	75W	4,400
• 5888	LED38T8/96FR44/850/IF *FE*	38W	75W	4,400

▶ DLC

• Limited Stock

FE - Freight Exception



01

LED EMERGENCY DRIVER



SKU Code	Product Code	Description
7338	BAEM8L-60BC/347-A	8W CEC-Compliant LED Linear Emergency Driver 120-347V with 24" Conduit
• 7335	BAEM12-60BC/MV-A	12W CEC-Compliant Emergency Driver 120-277 w/24" Conduit
• 7336	BAEM4-60BC/MV-A	4W CEC-Compliant LED Emergency Driver 120-277V
• 7334	BAEM15-48BC/MV-A	15W CEC-Compliant LED Emergency Driver 120-277V
• P10408	BAEM-ACE-H10-1555CP	10W CEC-Compliant LED Emergency Driver 120-277V
• P10415	BAEM-ACE-G4L-55-73	4W CEC-Compliant LED Linear Emergency Driver 120-277V
• P10071	BAEM-ILB-CP05-B	IOTA 5W Constant Power LED Emergency Driver
• P10155	BAEM-ILB-CP05-SL	IOTA 5W Constant Power LED Emergency Driver - Slim Line
• P10017	BAEM-ILB-CP10-B	IOTA 10W Constant Power LED Emergency Driver

• Limited Stock

02

MINI & MICRO INVERTER SYSTEM



SKU Code	Product Code	Description
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V w/ 12" Conduit

03

STEP DOWN DRIVER 347-480V



SKU Code	Product Code	Description
P10429	BA-MTM00706227C	Compact 347-480V to 277V Step Down Driver for fixtures 70W and under
P10539	BA-MTM01256227C	Compact 347-480V to 277V Step Down Driver for fixtures 100W and under
P10138	BA-GETR480/277-250W	347-480V to 277V Step Down Driver for linear fixtures 250W and under
P10139	BA-GETR480-277-375W	347-480V to 277V Step Down Driver for linear fixtures 375W and under

Specifications may change without prior notice.
An additional fee will be applied for accessories installed per fixture.

04

SURGE PROTECTOR



SKU Code	Product Code	Description
P10389	SPD-L-10KV-277	10 KV Single Phase Surge Protector 120-277V (Wired in Parallel)
P10390	SPD-L-20KV-277	20 KV Single Phase Surge Protector 120-277V (Wired in Parallel)
P10391	SPD-L-20KV-480	20 KV Single Phase Surge Protector 347-480V (Wired in Parallel)
P10431	SPD-R-20KV-277	20KV Single Phase Surge Protector 120-277V (Wired in Series) Included LED Indicator
P10432	SPD-R-20KV-480	20KV Single Phase Surge Protector 347-480V (Wired in Series) Included LED Indicator

05

PORTABLE POWER CABLE
SO Cord

SKU Code	Product Code	Description
P10231	QC-PWC-V2-IP68	IP68 Waterproof SO Cord Connector 2 Pin
P10230	PWC-300V2-30FT	Black SO Cord 30ft for 300V 2 Conductor
P10165	PWC-300V3-6FT	Black SO Cord 6ft for 300V 3 Conductor
P10166	PWC-300V3-10FT	Black SO Cord 10ft for 300V 3 Conductor
P10219	PWC-300V3-30FT	Black SO Cord 30ft for 300V 3 Conductor
P10167	PWC-600V3-6FT	Black SO Cord 6ft for 600V 3 Conductor
P10168	PWC-600V3-10FT	Black SO Cord 10ft for 600V 3 Conductor
P10220	PWC-600V3-30FT	Black SO Cord 30ft for 600V 3 Conductor
P10187	PWC-300V5-6FT	Black SO Cord 6ft for 300V 5 Conductor
P10188	PWC-300V5-10FT	Black SO Cord 10ft for 300V 5 Conductor
P10190	PWC-300V5-WH-10FT	White SO Cord 10ft for 300V 5 Conductor
P10034	PWC-300V6-6FT	Black SO Cord 6ft for 300V 6 Conductor

06

AIR CRAFT CABLE



SKU Code	Product Code	Description
P10147	MT-ACC-4FT	4ft Aircraft Cable
P10144	MT-ACC-10FT	10ft Aircraft Cable

07

MOTION & PHOTOCELL SENSORS



SKU Code	Product Code	Description
P10234	SEN-MC605V-D	Microwave Motion/Photocell Sensor 0-10V 100-277V
P10380	BA-BQE03-0250-12	3W 12VDC Power Supply with 120-347V input
P10319	SEN-HD06VCRH	Remote Programmable Microwave Motion Sensor 0-10V
P10438	SEN-HB001VCR-1	Remote Programmable Microwave Motion Sensor 0-10V Bi-Level Internal 12V Low Voltage
* P10323	SEN-HD05R	Remote Programmer for P10438
* P10540	SEN-ANT-11-WH	Remote Programmable Microwave Motion Sensor 0-10V Bi-level Internal 12V Low Voltage
P10371	SEN-BRI619	Remote Programmable PIR Motion/Photocell 0-10V 12-24V Low Voltage
P10387	SEN-BRI823-B-D	Remote Programmable PIR Motion Sensor 0-10V Bi-level Internal 120-277V
P10315	SEN-BRI-820-M8	Remote Programmable PIR Motion Sensor 0-10V Control Internal 120-480V
P10385	SEN-BRI819P-C-D	Remote Programmable PIR Motion Sensor 0-10V Bi-level Control External 120-347V
* P10519	REC-Z10-BK	Z10 Receptacle Base with the black cap
* P10518	REC-Z10-WH	Z10 Receptacle Base with the white cap
* P10520	SEN-ANT-5-Z10-PC	Z10 Twist-Lock Photocell 12-24Vdc-White
* P10521	SEN-ANT-5-Z10	Z10 Twist-Lock PIR Motion & Photocell Sensor, 0-10V, 12-24Vdc-White
* P10522	SEN-ANT-6-Z10	Z10 Twist-Lock PIR Motion & Photocell Sensor, 0-10V, 12-24Vdc-White
P10316	SEN-BRI-RC100	Remote Programmer for P10540,P10371,P10387, P10315, P10385, P10519, P10518, P10520, P10521, P10522
* P10543	SEN-PHO-SBT-MT/MV	Small Button Photocell 120-277V
P10036	SEN-PHO-BT-MT/MV	Button Photocell 120-277V
K141030	REC3PLK/PHO	Twist-Lock Photocell & Receptacle Mount 120-277V 3 Prong
K141223	REC3PLK/PHO/480	Twist-Lock Photocell & Receptacle Mount 480V 3 Prong
P10030	SEN-PHO-LK-MT/MV	Twist-Lock Photocell 120-277V 3 Prong
P10223	SEN-PHO-LK-MT/MV/480	Twist-Lock Photocell 480V 3 Prong
P10053	SEN-PHO-LK-MT/SRT	Twist-Lock Photocell Shorting Cap 120-480V 3 Prong
P10141	REC3PLK	Twist-Lock Photocell Receptacle Mount 120-480V 3 Prong
P10142	REC7PLK	Twist-Lock Photocell Receptacle Mount 120-480V 7 Prong

*newly added

08

BLUETOOTH CONTROL SYSTEMS



SKU Code	Product Code	Description
* P10484	CTL-MW-PSC-BL-I-FM-DC0-BLE-SR	Bluetooth controller w/ PIR Motion and Daylight Harvesting Sensor, 0-10V, 12-24Vdc
* P10485	CTL-MW-PIR-BL01-F5-HBL	White sensor lens for P10484 - up to 40' height
* P10519	REC-Z10-BK	Z10 Receptacle base with black cap
* P10488	CTL-MW-PSC-ZKV-WCM-100-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc, Z10 Brown
* P10517	CTL-MW-PSC-ZKV-WCM-110-BLE-SR	Bluetooth controller w/ Photocell, 0-10V, 12-24Vdc, Z10 Brown
* P10487	CTL-MW-PSC-ZKV-I-110-BLE-SR	Bluetooth controller w/ PIR Motion and Photocell Sensor, 0-10V, 12-24Vdc, Z10 Brown
* P10486	CTL-MW-PIR-BL01-F5-HBL-BN	Brown Trim PIR lens for P10484 or P10487 - up to 40' Height
* P10490	CTL-MW-PSC-WCM-50-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc
* P10491	CTL-MW-PSC-WCM-50/EXA-BLE-SR	Bluetooth controller, 0-10V, 12-24Vdc w/ Antenna connector
* P10492	CTL-MW-SRM-24SW20C-GS-IP-BK	Outdoor antenna for P10491
* P10515	CTL-MW-PSC-AC-PP-700C	120-277V to 12V power supply with 2A Relay (compatible up to 240W fixture)
* P10516	CTL-MW-PSC-AC-PP-250	120-277V to 12V power supply with 10A Relay (compatible up to 1200W fixture)
* P10493	CTL-MW-PSC-ND-I-CM-DC-BLE-SR	Bluetooth controller w/ Ceiling Mount Occupancy PIR sensor, 12-24Vdc
* P10494	CTL-MW-PSC-DM-I-WS-100-BLE-SR	Bluetooth Wall Sensor & Dimmer Switch, 120-277V
* P10495	CTL-MW-PSC-DM-WS-100-BLE-SR	Bluetooth Wall Dimmer Switch, 120-277V
* P10496	CTL-MW-PSC-E0-WS-100-BLE	Bluetooth Self-powered Wall Dimmer Switch
* P10497	CTL-MW-PSC-SGW-101-DC	Bluetooth Wi-Fi Gateway
* P10498	CTL-MW-PSC-TKP-200-BLE-SR	Bluetooth Time Keeper

*newly added

09

ACCESSORIES



SKU Code	Product Code	Description
• P10035	SEN-PHO-BT-MT/120	Button Photocell 120V
• P10091	SEN-UM05/ANT5	Motion/Photocell 0-10V Internal 100-277V
• P10148	PLT/HBR/MC31	Microwave Motion/Photocell Sensor 0-10V External 100-277V IP66
• P10042	SEN-LOD-500-SED	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 2X D Lens
• P10043	SEN-LOD-500-SPD	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 2X D Lens IP66
• P10044	SEN-LOD-500-SEC	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 3X C Lens
• P10045	SEN-LOD-500-SPC	PIR Motion/Photocell Sensor 0-10V Bi-Level Control External 100-277V 3X C Lens IP66
• P10024	MT-SF/DB	Slip Fitter -Bronze for Traditional Shoebox
• P10064	MT-SF/WH	Slip Fitter -White for Traditional Shoebox
• P10026	MT-EA6/DB	6" Extruded Arm - Bronze for Traditional Shoebox
• P10066	MT-EA6/WH	6" Extruded Arm - White for Traditional Shoebox
• P10025	MT-SB/DB	Swivel Bracket - Bronze for Traditional Shoebox
• P10065	MT-SB/WH	Swivel Bracket - White for Traditional Shoebox
• P10080	MT-AA14/WH	14" Adjustable Arm - White for Traditional Shoebox
• P10081	MT-AA14/DB	14" Adjustable Arm - Bronze for Traditional Shoebox
• P10046	MT-4PA/DB	4" Round Pole Adaptor Bronze for Traditional Shoebox
• P10047	MT-5PA/DB	5" Round Pole Adaptor Bronze for Traditional Shoebox
• P10048	MT-6PA/DB	6" Round Pole Adaptor Bronze for Traditional Shoebox
• P10049	MT-4PA/WH	4" Round Pole Adaptor White for Traditional Shoebox
• P10050	MT-5PA/WH	5" Round Pole Adaptor White for Traditional Shoebox
• P10051	MT-6PA/WH	6" Round Pole Adaptor White for Traditional Shoebox
• P10020	MT-KNC-SWP/WH	3/4" NPT Knuckle Mount for SWP (BK/BZ/WH)
• P10021	MT-SF-SWP/WH	Slip Fitter Mount for SWP (WH)
• P10019	MT-SB-SWP/WH	Swivel Bracket for SWP (WH)
• P10057	RT-4RL-BK	Black 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10060	RT-6RL-BK	Black 5"6" Recessed Trim Fits 7569, 7199
• P10058	RT-4RL-CH	Chrome 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10061	RT-6RL-CH	Chrome 5"6" Recessed Trim Fits 7569, 7199
• P10082	RT-4RL-CH-WH	Chrome & White 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10083	RT-6RL-CH-WH	Chrome & White 5"6" Recessed Trim Fits 7569, 7199
• P10062	RT-6RL-BZ	Bronze 5"6" Recessed Trim Fits 7569, 7199
• P10084	RTS-4RL-WH	White Square 4" Recessed Trim Fits 7567, 7578, 7580, 7198, 7093
• P10085	RTS-6RL-WH	White Square 5"6" Recessed Trim Fits 7569, 7199

• Limited Stock

natural^{led}

Head Office & West Coast Distribution Center:
Fanlight Corporation Inc.
2000 S. Grove Ave, Bldg B,
Ontario, CA 91761
Tel: 909-930-6868

East Coast Distribution Center:
2511 Reliance Ave,
Apex, NC, 27539

Central Distribution Center:
1940 Diplomat Drive,
Farmers Branch, TX 75234

Canada
Unit 206
9710 187th Street,
Surrey, BC V4N 3N6